

**REPUBLIC OF KENYA**



**MANDERA COUNTY GOVERNMENT**

**PROPOSED CONSTRUCTION OF SLAUGHTER HOUSE IN  
ELWAK MANDERA SOUTH SUB COUNTY  
IN**

**MANDERA COUNTY**

**TENDER DOCUMENTS**

**TENDER NO: ..... MCG/OT/49/2020-2021.....**

**IFMIS NEGOTIATION NUMBER: 851820**

**FEBRUARY 2021**

## TABLE OF CONTENTS

	INTRODUCTION .....
SECTION I	INVITATION FOR TENDERS .....
SECTION II	INSTRUCTIONS TO TENDERERS .....
SECTION III	CONDITIONS OF CONTRACT .....
	APPENDIX TO CONDITIONS OF CONTRACT .....
SECTION IV	STANDARD FORMS .....
SECTION V	SPECIFICATIONS, DRAWINGS AND BILLS OF QUANTITIES/SCHEDULE OF RATES...

## **INTRODUCTION**

- 1.1 This standard tender document for procurement of works has been prepared for use by procuring entities in Kenya in the procurement of works (e.g. Buildings, Roads, Bridges, Repairs and Maintenance) which the procuring entity considers to be small and where it is not required to be open tendering.
- 1.2 The following guidelines should be observed when using the document:-
  - (a) Specific details should be furnished in the tender notice and in the special conditions of contract (where applicable). The tender document issued to tenderers should not have blank spaces or options.
  - (b) The instructions to tenderers and the General Conditions of Contract should remain unchanged. Any necessary amendments to these parts should be made through Appendix to instructions to tenderers and special conditions of contract respectively.
- 1.3 (a) Information contained in the invitation to tender shall conform to the data and information in the tender documents to enable prospective tenderers to decide whether or not to participate in the tender and shall indicate any important tender requirements
  - I. The invitation to tender shall be as an advertisement in accordance with the regulations or a letter of invitation addressed to tenderers who have been prequalified following a request for prequalification.
- 1.4 The cover of the tender document should be modified to include:-
  - II. Tender number.
  - III. Tender name.
  - IV. Name of procuring entity.
  - V. Delete name and address of PPOA.

## SECTION I

### INVITATION FOR TENDERS

Tender reference no. : **MCG/OT/49/2020-2021**

**Tender Name: PROPOSED CONSTRUCTION OF SLAUGHTER HOUSE IN ELWAK  
MANDERA SOUTH SUB COUNTY**

The Mandera *County Government* invites sealed PROPOSED CONSTRUCTION OF SLAUGHTER HOUSE IN ELWAK MANDERA SOUTH SUB COUNTY candidates may obtain further information from the office of the director supply chain management services at the county treasury during normal working hours and via email on [supplychain@mandera.go.ke](mailto:supplychain@mandera.go.ke).

1.2 Invitation to tender containing detailed information, tenders number and negotiation numbers and the tender documents can be downloaded free of charge at the county's website

**[www.mandera.go.ke](http://www.mandera.go.ke)**, which can also be accessed from supplier's portal

1.3 Completed set of tender documents shall be scanned and submitted electronically through IFMIS SUPPLIER PORTAL at [supplier.treasury.go.ke](http://supplier.treasury.go.ke) using the specific IFMIS negotiation number provided in the tender documents as per the requirements contained in the tender documents so as to be received on or before **Tuesday 9th March 2021 at 10:00 am**

**1.4 Bidders must upload a copy of original bid security to the ifmis portal and deliver ORIGINAL bid security to the office of the director supply chain management.**

**NOTE: The system will automatically close at the time and date of tender closing specified on the IFMIS portal and tender documents. The system does not have provisions for late submission.**

**MANUAL SUBMISSIONS WILL NOT BE ACCEPTED, all tenders must be submitted through IFMIS PORTAL**

**All bidders are advised to regularly check the county's website during the bidding period,**

**Director of Supply Chain Management services**  
**FOR: COUNTY CHIEF OFFICER LIVESTOCK AND FISHERIES DEVELOPMENT**

SECTION II  
INSTRUCTIONS TO TENDERERS  
TABLE OF CONTENTS

CLAUSE

1 .	GENERAL -----
2.	TENDER DOCUMENTS -----
3.	PREPARATION OF TENDERS -----
4.	SUBMISSION OF TENDERS -----
5.	TENDER OPENING AND EVALUATON -----
6.	AWARD OF CONTRACT -----

## INSTRUCTIONS TO TENDERERS.

1. General
  - 1.1 The Employer as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The successful Tenderer will be expected to complete the Works by the Intended Completion Date specified in the said Appendix.
  - 1.2 Tenderers shall include the following information and documents with their tenders, unless otherwise stated:
    - (a) copies of certificates of registration, and principal place of business;
    - (b) total monetary value of construction work performed for each of the last five years;
    - (c) experience in works of a similar nature and size for each of the last five years, and clients who may be contacted for further information on these contracts;
    - (d) major items of construction equipment owned;
    - (e) qualifications and experience of key site management and technical personnel proposed for the Contract;
    - (f) reports on the financial standing of the Tenderer, such as profit and loss statements and auditor's reports for the last five years;
    - (g) authority to seek references from the Tenderer's bankers.
  - 1.3 The Tenderer shall bear all costs associated with the preparation and submission of his tender, and the Employer will in no case be responsible or liable for those costs.
  - 1.4 The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Works and its surroundings, and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Tenderer's own expense.
  - 1.5 The procurement entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
  - 1.6 The price to be charged for the tender document shall not exceed Kshs.1,000/=
  - 1.7 The procuring entity shall allow the tenderer to review the tender document free of charge before purchase.
2. Tender Documents

2.1 The complete set of tender documents comprises the documents listed here below and any addenda issued in accordance with clause 2.4 Here below:-

- (a) These instructions to Tenderers
- (b) Form of Tender
- (c) Conditions of Contract and Appendix to Conditions of Contract
- (d) Specifications
- (e) Drawings
- (f) Bills of Quantities/Schedule of Rates (whichever is applicable)
- (g) Other materials required to be filled and submitted in accordance with these Instructions and Conditions

2.2 The Tenderer shall examine all instructions, forms and specifications in the tender documents. Failure to furnish all information required by the tender documents may result in rejection of his tender.

2.3 A prospective Tenderer making inquiries of the tendering documents may notify the Employer in writing or by cable, telex or facsimile at the address indicated in the letter of invitation to tender. The Employer will respond to any request for clarification received earlier than seven [7] days prior to the deadline for submission of tenders. Copies of the Employer's response will be forwarded to all persons issued with tendering documents, including a description of the inquiry, but without identifying its source.

2.4 Before the deadline for submission of tenders, the Employer may modify the tendering documents by issuing addenda. Any addendum thus issued shall be part of the tendering documents and shall be communicated in writing or by cable, telex or facsimile to all Tenderers. Prospective Tenderers shall acknowledge receipt of each addendum in writing to the Employer.

2.5 To give prospective Tenderers reasonable time in which to take an addendum into account in preparing their tenders, the Employer shall extend, as necessary, the deadline for submission of tenders in accordance with clause 4.2 here below.

### 3. Preparation of Tenders

3.1 All documents relating to the tender and any correspondence shall be in English Language.

3.2 The tender submitted by the Tenderer shall comprise the following:-

- (a) The Tender;

- (b) Tender Security;
  - (c) Priced Bill of Quantities/Schedule of Rates for lump-sum Contracts
  - (d) Any other materials required to be completed and submitted by Tenderers.
- 3.3 The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities/Schedule of Rates. Items for which no rate or price is entered by the Tenderer will not be paid for when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities/Schedule of Rates. All duties, taxes and other levies payable by the Contractor under the Contract, as of 30 days prior to the deadline for submission of tenders, shall be included in the tender price submitted by the Tenderer.
- 3.4 The rates and prices quoted by the Tenderer shall not be subject to any adjustment during the performance of the Contract.
- 3.5 The unit rates and prices shall be in Kenya Shillings.
- 3.6 Tenders shall remain valid for a period of sixty (60) days from the date of submission. However in exceptional circumstances, the Employer may request that the Tenderers extend the period of validity for a specified additional period. The request and the Tenderers' responses shall be made in writing.
- 3.7 The Tenderer shall prepare one original and a copy of the documents comprising the tender documents as described in these Instructions to Tenderers.
- 3.8 The original shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign on behalf of the Tenderer. All pages of the tender where alterations or additions have been made shall be initialed by the person or persons signing the tender.
- 3.9 Clarification of tenders shall be requested by the tenderer to be received by the procuring entity not later than 7 days prior to the deadline for submission of tenders.
- 3.10 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

#### 4. Submission of Tenders

- 4.1 The tender duly filled and sealed in an envelope shall;-



- (a) be addressed to the Employer at the address provided in the invitation to tender;
- [b] bear the name and identification number of the Contract as defined in the invitation to tender; and
- [c] provide a warning not to open before the specified time and date for tender opening.

4.2 Tenders shall be delivered to the Employer at the address specified above not later than the time and date specified in the invitation to tender.

4.3 The tenderer shall not submit any alternative offers unless they are specifically required in the tender documents.

Only one tender may be submitted by each tenderer. Any tenderer who fails to comply with this requirement will be disqualified.

4.4 Any tender received after the deadline for opening tenders will be returned to the tenderer un-opened.

4.5 The Employer may extend the deadline for submission of tenders by issuing an amendment in accordance with sub-clause 2.5 in which case all rights and obligations of the Employer and the Tenderers previously subject to the original deadline will then be subject to the new deadline.

## 5. Tender Opening and Evaluation

5.1 The tenders will be opened in the presence of the Tenderers' representatives who choose to attend at the time and in the place specified in the invitation to tender.

5.2 The Tenderers' names, the total amount of each tender and such other details as may be considered appropriate, will be announced at the opening by the Employer. Minutes of the tender opening, including the information disclosed to those present will also be prepared by the Employer.

5.3 Information relating to the examination, clarification, evaluation and comparison of tenders and recommendations for the award of the Contract shall not be disclosed to Tenderers or any other persons not officially concerned with such process until the award to the successful Tenderer has been announced. Any effort by a Tenderer to influence the Employer's officials, processing of tenders or award

decisions may result in the rejection of his tender.

5.4 Tenders determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows:

- (a) where there is a discrepancy between the amount in figures and the amount in words, the amount in words will prevail; and
- (b) where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will prevail, unless in the opinion of the Employer's representative, there is an obvious typographical error, in which case the adjustment will be made to the entry containing that error.
- (c) In the event of a discrepancy between the tender amount as stated in the Form of Tender and the corrected tender figure in the main summary of the Bill of Quantities/Quotation, the amount as stated in the Form of Tender shall prevail.
- (d) The Error Correction Factor shall be computed by expressing the difference between the tender amount and the corrected tender sum as a percentage of the Corrected Builder's Work (i.e. corrected tender sum less P.C. and Provisional Sums).
- (e) The Error Correction Factor shall be applied to all Builder's Work (as a rebate or addition as the case may be) for the purposes of valuations for Interim Certificates and valuation of variations.
- (f) The amount stated in the tender will be adjusted in accordance with the above procedure for the correction of errors and with concurrence of the Tenderer, shall be considered as binding upon the Tenderer. If the Tenderer does not accept the corrected amount, the tender may be rejected and the Tender Security forfeited.

5.5 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

5.6 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

5.7 Where contract price variation is allowed, the valuation shall not exceed 15% of the original contract price.

5.8 Price variation requests shall be processed by the procuring entity within 30 days of receiving the request. Preference where allowed in

the evaluation of tenders shall not exceed 15%

- 5.9 To assist in the examination, evaluation, and comparison of tenders, the Employer at his discretion, may request [in writing] any Tenderer for clarification of the tender, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, telex or facsimile but no change in the tender price or substance of the tender shall be sought, offered or permitted.
- 5.10 The Tenderer shall not influence the Employer on any matter relating to his tender from the time of the tender opening to the time the Contract is awarded. Any effort by the Tenderer to influence the Employer or his employees in his decision on tender evaluation, tender comparison or Contract award may result in the rejection of the tender.

## 6. Award of Contract

- 6.1 The award of the Contract will be made to the Tenderer who has offered the lowest evaluated tender price.
- 6.2 Notwithstanding the provisions of clause 6.1 above, the Employer reserves the right to accept or reject any tender and to cancel the tendering process and reject all tenders at any time prior to the award of Contract without thereby incurring any liability to the affected Tenderer or Tenderers or any obligation to inform the affected Tenderer or Tenderers of the grounds for the action.
- 6.3 The Tenderer whose tender has been accepted will be notified of the award prior to expiration of the tender validity period in writing or by cable, telex or facsimile. This notification (hereinafter and in all Contract documents called the "Letter of Acceptance") will state the sum [hereinafter and in all Contract documents called the "Contract Price" which the Employer will pay the Contractor in consideration of the execution, completion, and maintenance of the Works by the Contractor as prescribed by the Contract. The contract shall be formed on the parties signing the contract. At the same time the other tenderers shall be informed that their tenders have not been successful.
- 6.4 The Contract Agreement will incorporate all agreements between the Employer and the successful Tenderer. It will be signed by the Employer and sent to the successful Tenderer, within 30 days following the notification of award. Within 21 days of receipt ,the successful Tenderer will sign the Agreement and return it to the Employer.
- 6.5 Within 21 days after receipt of the Letter of Acceptance, the successful Tenderer shall deliver to the Employer a Performance Security amount

stipulated in the Appendix to Conditions of Contract.

- 6.6 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.
- 6.7 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 6.8 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

## 7. Corrupt and fraudulent practices

- 7.1 The procuring entity requires that the tenderer observes the highest standard of ethics during the procurement process and execution of the contract. A tenderer shall sign a declaration that he has not and will not be involved in corrupt and fraudulent practices.
- 7.2 The procuring entity will reject a tender if it determines that the tenderer recommended for award has engaged in corrupt and fraudulent practices in competing for the contract in question.
- 7.3 Further a tenderer who is found to have indulged in corrupt and fraudulent practices risks being debarred from participating in public procurement in Kenya.

## **Appendix to Instructions to Tenderers**

### **Notes on the Appendix to the Instruction to Tenderers**

1. The Appendix to instructions to tenderers is intended to assist the procuring entity in providing specific information in relation to the corresponding clause in the instructions to Tenderers and has to be prepared for each specific procurement.
2. The procuring entity should specify in the appendix information and requirements specific to the circumstances of the procuring entity, the goods to be procured and the tender evaluation criteria that will apply to the tenders.
3. In preparing the Appendix the following aspects should be taken into consideration;
  - (a) The information that specifies and complements provisions of Instruction to tenderers to be incorporated
  - (b) Amendments and/or supplements if any, to provisions of Section 2.0 as necessitated by the circumstances of the goods to be procured to be also incorporated
4. Section II should remain unchanged and can only be amended through the Appendix.
5. Clauses to be included in this part must be consistent with the public procurement law and the regulations.

### Appendix to Instructions to Tenderers/General information

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
	<i>The bidders shall submit their bid through ifmis supplier portal by the negotiations numbers attached to the tender document on or before <b>Tuesday 9th March 2021 at 10.00 Am</b></i>
	<i>The bidder shall submit a minimum Bid Security (2% of tender sum from a reputable bank or insurance firm)</i>
	<i>Bidders who do not submit their bids through ifmis portal will be not be considered for evaluation of the bids.</i>

### EVALUATION AND COMPARISON OF TENDERS

Evaluation and comparison of Tenders: the following evaluation criteria shall be applied notwithstanding any other requirement in the tender documents.

#### a) Mandatory requirements(MR)

**The following requirements must be met by the tenderer failure to which the bid will be eliminated from further evaluation.**

#### **PRELIMINARY EVALUATION CRITERIA**

S/N o	REQUIREMENTS	Score Mandatory	B1	B2	B3	B4	B5	B6	B7	B8
1	Dully filled and stamped confidential business questionnaire	<b>Mandatory (Yes/No)</b>								
2	Form of tender duly filled, signed and stamped	<b>Mandatory (Yes/No)</b>								
3	The form of power of attorney shall be duly filled, signed and stamped	<b>Mandatory (Yes/No)</b>								
4	Bid Security (2% of tender sum from a reputable bank or insurance firm)	<b>Mandatory (Yes/No)</b>								
5	Must submit a self-declaration that the person/ tenderer will not engage in any corrupt or fraudulent practice.	<b>Mandatory (Yes/No)</b>								
6	Must submit a self-declaration that the person/ tenderer/firm is not debarred	<b>Mandatory (Yes/No)</b>								

	in the matter of the Public Procurement and asset Disposal Act 2015.									
7	Valid current year business permits certified by commissioner of oaths/advocates	<b>Mandatory (Yes/No)</b>								
8	Valid current year tax compliance certificate certified by commissioner of oaths /advocates.	<b>Mandatory (Yes/No)</b>								
9	Certificate of incorporation certified by commissioner of oaths/advocates.	<b>Mandatory (Yes/No)</b>								
10	PIN/VAT certificate from KRA certified by commissioner of oaths/advocates	<b>Mandatory (Yes/No)</b>								
11	Certificate of Registration and current valid practicing license with National construction authority for building works NCA 7 and Above certified by commissioner of oaths/advocates	<b>Mandatory (Yes/No)</b>								
12	CR 12 form certified by commissioner of oaths/advocates	<b>Mandatory (Yes/No)</b>								
13	Submitted original bid security in hard copy	<b>Mandatory (Yes/No)</b>								

**KEY**

Bidder 1: B1  
 Bidder 2: B2  
 Bidder 3: B3  
 Bidder 4: B4  
 Bidder 5: B5  
 Bidder 6: B6  
 Bidder 7: B7  
 Bidder 8: B8

**NB:** At this stage, the tender's submission will either be responsive or non-responsive. The non-responsive submission will be eliminated from the entire evaluation process and will not be considered further.

**TECHNICAL EVALUATION CRITERIA SUMMARY**

<b>No.</b>	<b>REQUIREMENTS</b>									
<b>A. Personnel (Must attach CV and copy of certificates)</b>		<b>Score card 70)</b>	<b>B1</b>	<b>B2</b>	<b>B3</b>	<b>B4</b>	<b>B5</b>	<b>B6</b>	<b>B7</b>	<b>B8</b>
<b>1.</b>	One Site Agent / Contract manager (Registered Civil Engineer/QS) <ul style="list-style-type: none"> <li>➤ Degree and registered with the relevant professional body supported by CV showing current position-3 marks</li> <li>➤ Degree only supported with CV showing current position-2 marks</li> <li>➤ Degree only-1 mark</li> </ul>	<b>3 Marks</b>								
<b>2.</b>	Environment officer at least bachelor degree in environmental science or equivalent (registered with NEMA) <ul style="list-style-type: none"> <li>➤ Degree and registration with nema supported by CV showing current position -3 marks</li> <li>➤ Degree only supported with CV showing current position-2 marks</li> <li>➤ Degree only-1 mark</li> </ul>	<b>3 Marks</b>								
<b>3.</b>	2No inspector of building works (must be holders of at least diploma/HND in civil engineering or equivalent) <ul style="list-style-type: none"> <li>➤ Diploma supported by CV showing current position-2 marks for each inspector</li> <li>➤ Diploma not supported by CV current position-1 mark each</li> </ul>	<b>4 Marks</b>								
<b>4.</b>	Bidders attach valid proof of at least three similar projects (building/fencing works project) of similar magnitude undertaken in the last five years. <ul style="list-style-type: none"> <li>➤ Similar project of similar magnitude undertaken in the</li> </ul>	<b>12 Marks</b>								



	<p>last 5 years-4 marks each</p> <ul style="list-style-type: none"> <li>➤ Similar project half the magnitude of the project undertaken in the last 5 years - 2 marks each</li> <li>➤ Less than half the magnitude of the project undertaken in the last 5 years -0 mark</li> </ul>									
<b>5.</b>	<p>Bidders shall attach audited financial reports for the last two years (2019,2018) signed and stamped where applicable and certified by registered Certified public account</p> <ul style="list-style-type: none"> <li>➤ Audited financial reports, signed, stamped and certified as required- 5 marks each</li> <li>➤ Audited financial report signed and stamped but not certified(incomplete)-2 marks each</li> <li>➤ Audited financial reports not signed, stamped and certified-0 mark</li> </ul>	<b>10 Marks</b>								
<b>6.</b>	<p>Completed tender document with bill of quantities duly filled, signed and stamped where applicable.</p> <ul style="list-style-type: none"> <li>➤ Completed tender document as required-20 marks</li> <li>➤ Tender document with bill of quantities but not duly filled, signed and stamped as required-15marks</li> <li>➤ Duly filled signed and stamped Bill of quantities only without the tender document-10 marks</li> <li>➤ Tender document without BQ only-5</li> </ul>	<b>20 Marks</b>								
<b>7</b>	<p>Attach proof of ownership/lease of equipment Attach log books for</p> <ul style="list-style-type: none"> <li>➤ 2no pick up,2 marks</li> <li>➤ 2no water boozier,2marks</li> <li>➤ 2no concrete mixer-2 marks</li> </ul>	<b>12 Marks</b>								

	<ul style="list-style-type: none"> <li>➤ 1no vibrator-1mark</li> <li>➤ 1 no wheel loader, 1 mark</li> <li>➤ 3no tipper- 3marks</li> </ul>									
<b>8</b>	Attach bank statement for the last 6 months <ul style="list-style-type: none"> <li>➤ Each month-1 mark</li> </ul>	<b>6 Marks</b>								
	<b>Total</b>	<b>70 Marks</b>								

#### **a) Technical evaluations scores**

This section (technical evaluation) will be marked out of 70 and will determine the technical scorers (TS). Note: at this stage any firm that failed to score above 0r 49/70 shall NOT be evaluated financially.

## SECTION III – CONDITIONS OF CONTRACT

### 1. Definitions

1.1 In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated;

“Bills of Quantities” means the priced and completed Bill of Quantities forming part of the tender[where applicable].

“Schedule of Rates” means the priced Schedule of Rates forming part of the tender [where applicable].

“The Completion Date” means the date of completion of the Works as certified by the Employer’s Representative.

“The Contract” means the agreement entered into by the Employer and the Contractor as recorded in the Agreement Form and signed by the parties.

“The Contractor” refers to the person or corporate body whose tender to carry out the Works has been accepted by the Employer.

“The Contractor’s Tender” is the completed tendering document submitted by the Contractor to the Employer.

“The Contract Price” is the price stated in the Letter of Acceptance.

“Days” are calendar days; “Months” are calendar months.

“A Defect” is any part of the Works not completed in accordance with the Contract.

“The Defects Liability Certificate” is the certificate issued by Employer’s Representative upon correction of defects by the Contractor.

“The Defects Liability Period” is the period named in the Appendix to Conditions of Contract and calculated from the Completion Date.

“Drawings” include calculations and other information provided or approved by the Employer’s Representative for the execution of the Contract.

“Employer” Includes Central or Local Government administration,

Universities, Public Institutions and Corporations and is the party who employs the Contractor to carry out the Works.

“Equipment” is the Contractor’s machinery and vehicles brought temporarily to the Site for the execution of the Works.

“Site” means the place or places where the permanent Works are to be carried out including workshops where the same is being prepared.

“Materials” are all supplies, including consumables, used by the Contractor for incorporation in the Works.

“Employer’s Representative” is the person appointed by the Employer and notified to the Contractor for the purpose of supervision of the Works.

“Specification” means the Specification of the Works included in the Contract.

“Start Date” is the date when the Contractor shall commence execution of the Works.

“ A Subcontractor” is a person or corporate body who has a Contract with the Contractor to carry out a part of the Work in the Contract, which includes Work on the Site.

“Temporary works” are works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.

“ A Variation” is an instruction given by the Employer’s Representative which varies the Works.

“The Works” are what the Contract requires the Contractor to construct, install, and turnover to the Employer.

## 2. Contract Documents

2.1 The following documents shall constitute the Contract documents and shall be interpreted in the following order of priority;

- (1) Agreement,
- (2) Letter of Acceptance,
- (3) Contractor’s Tender,
- (4) Conditions of Contract,
- (5) Specifications,
- (6) Drawings,
- (7) Bills of Quantities or Schedule of Rates [whichever is applicable]

### 3. Employer's Representative's Decisions

- 3.1 Except where otherwise specifically stated, the Employer's Representative will decide contractual matters between the Employer and the Contractor in the role representing the Employer.

### 4. Works, Language and Law of Contract

- 4.1 The Contractor shall construct and install the Works in accordance with the Contract documents. The Works may commence on the Start Date and shall be carried out in accordance with the Program submitted by the Contractor, as updated with the approval of the Employer's Representative, and complete them by the Intended Completion Date.
- 4.2 The ruling language of the Contract shall be English language and the law governing the Contract shall be the law of the Republic of Kenya.

### 5. Safety, Temporary works and Discoveries

- 5.1 The Contractor shall be responsible for design of temporary works and shall obtain approval of third parties to the design of the temporary works where required.
- 5.2 The Contractor shall be responsible for the safety of all activities on the Site.
- 5.3 Any thing of historical or other interest or significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Employer's Representative of such discoveries and carry out the Employer's Representative's instructions for dealing with them.

### 6 Work Program and Sub-contracting

- 6.1 Within seven days after Site possession date, the Contractor shall submit to the Employer's Representative for approval a program showing the general methods, arrangements, order and timing for all the activities in the Works.
- 6.2 The Contractor may sub-contract the Works (but only to a maximum of 25 percent of the Contract Price) with the approval of the Employer's Representative. However, he shall not assign the Contract without the approval of the Employer in writing. Sub-contracting shall not alter the Contractor's obligations.

### 7 The site

- 7.1 The Employer shall give possession of all parts of the Site to the Contractor. The Contractor shall allow the Employer's Representative and any other person authorised by the Employer's Representative, access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

## 8 Instructions

- 8.1 The Contractor shall carry out all instructions of the Employer's Representative which are in accordance with the Contract.

## 9 Extension of Completion Date

- 9.1 The Employer's Representative shall extend the Completion Date if an occurrence arises which makes it impossible for completion to be achieved by the Intended Completion Date. The Employer's Representative shall decide whether and by how much to extend the Completion Date.

- 9.2 For the purposes of this clause, the following occurrences shall be valid for consideration;

Delay by:-

- (a) force majeure, or
- (b) reason of any exceptionally adverse weather conditions, or
- (c) reason of civil commotion, strike or lockout affecting any of the trades employed upon the Works or any of the trades engaged in the preparation, manufacture or transportation of any of the goods or materials required for the Works, or
- (d) reason of the Employer's Representative's instructions issued under these Conditions, or
- (e) reason of the contractor not having received in due time necessary instructions, drawings, details or levels from the Employer's Representative for which he specifically applied in writing on a date which having regard to the date for Completion stated in the appendix to these Conditions or to any extension of time then fixed under this clause was neither unreasonably distant from nor unreasonably close to the date on which it was necessary for him to receive the same, or
- (f) delay on the part of artists, tradesmen or others engaged by the Employer in executing work not forming part of this Contract, or

- (g) reason of delay by statutory or other services providers or similar bodies engaged directly by the Employer, or
- (h) reason of opening up for inspection of any Work covered up or of the testing or any of the Work, materials or goods in accordance with these conditions unless the inspection or test showed that the Work, materials or goods were not in accordance with this Contract, or
- (i) reason of delay in appointing a replacement Employer's Representative, or
- (j) reason of delay caused by the late supply of goods or materials or in executing Work for which the Employer or his agents are contractually obliged to supply or to execute as the case may be, or
- (k) delay in receiving possession of or access to the Site.

## 10 Management Meetings

- 10.1 A Contract management meeting shall be held regularly and attended by the Employer's Representative and the Contractor. Its business shall be to review the plans for the remaining Work. The Employer's Representative shall record the business of management meetings and provide copies of the record to those attending the meeting and the Employer. The responsibility of the parties for actions to be taken shall be decided by the Employer's Representative either at the management meeting or after the management meeting and stated in writing to all who attend the meeting.
- 10.2 Communication between parties shall be effective only when in writing.

## 11 Defects

- 11.1 The Employer's Representative shall inspect the Contractor's work and notify the Contractor of any defects that are found. Such inspection shall not affect the Contractor's responsibilities. The Employer's Representative may instruct the Contractor to search for a defect and to uncover and test any Work that the Employer's Representative considers may have a defect. Should the defect be found, the cost of uncovering and making good shall be borne by the Contractor. However if there is no defect found, the cost of uncovering and making good shall be treated as a variation and added to the Contract Price.
- 11.2 The Employer's Representative shall give notice to the Contractor of

any defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the Appendix to Conditions of Contract.

- 11.3 Every time notice of a defect is given, the Contractor shall correct the notified defect within the length of time specified by the Employer's Representative's notice. If the Contractor has not corrected a defect within the time specified in the Employer's Representative's notice, the Employer's Representative will assess the cost of having the defect corrected by other parties and such cost shall be treated as a variation and be deducted from the Contract Price.

## 12 Bills of Quantities/Schedule of Rates

- 12.1 The Bills of Quantities/Schedule of Rates shall contain items for the construction, installation, testing and commissioning of the Work to be done by the Contractor. The Contractor will be paid for the quantity of the Work done at the rates in the Bills of Quantities/Schedule of Rates for each item. Items against which no rate is entered by the Tenderer will not be paid for when executed and shall be deemed covered by the rates for other items in the Bills of Quantities/Schedule of Rates.
- 12.2 Where Bills of Quantities do not form part of the Contract, the Contract Price shall be a lump sum (which shall be deemed to have been based on the rates in the Schedule of Rates forming part of the tender) and shall be subject to re-measurement after each stage.

## 13 Variations

- 13.1 The Contractor shall provide the Employer's Representative with a quotation for carrying out the variations when requested to do so. The Employer's Representative shall assess the quotation and shall obtain the necessary authority from the Employer before the variation is ordered.
- 13.2 If the Work in the variation corresponds with an item description in the Bill of Quantities/Schedule of Rates, the rate in the Bill of Quantities/Schedule of Rates shall be used to calculate the value of the variation. If the nature of the Work in the variation does not correspond with items in the Bill of Quantities/Schedule of Rates, the quotation by the Contractor shall be in the form of new rates for the relevant items of Work.
- 13.3 If the Contractor's quotation is unreasonable, the Employer's Representative may order the variation and make a change to the Contract Price, which shall be based on the Employer's Representative's own forecast of the effects of the variation on the



Contractor's costs.

#### 14 Payment Certificates and Final Account

- 14.1 The Contractor shall be paid after each of the following stages of Work listed herebelow (subject to re-measurement by the Employer's Representative of the Work done in each stage before payment is made). In case of lump-sum Contracts, the valuation for each stage shall be based on the quantities so obtained in the re-measurement and the rates in the Schedule of Rates.
- (i) Advance payment\_  
(percent of Contract Price,  
[after Contract execution] *to be inserted by the Employer*).
  - (ii) First stage (*define stage*) \_
  - (iii) Second stage (*define stage*) \_
  - (iv) Third stage (*define stage*) \_
  - (v) After defects liability period .
- 14.2 Upon deciding that Works included in a particular stage are complete, the Contractor shall submit to the Employer's Representative his application for payment. The Employer's Representative shall check, adjust if necessary and certify the amount to be paid to the Contractor within 21 days of receipt of the Contractor's application .The Employer shall pay the Contractor the amounts so certified within 30 days of the date of issue of each Interim Certificate.
- 14.3 The Contractor shall supply the Employer's Representative with a detailed final account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Employer's Representative shall issue a Defect Liability Certificate and certify any final payment that is due to the Contractor within 30 days of receiving the Contractor's account if it is correct and complete. If it is not, the Employer's Representative shall issue within 21 days a schedule that states the scope of the corrections or additions that are necessary. If the final account is still unsatisfactory after it has been resubmitted, the Employer's Representative shall decide on the amount payable to the Contractor and issue a Final Payment Certificate. The Employer shall pay the Contractor the amount so certified within 60 days of the issue of the Final Payment Certificate.

- 14.4 If the period laid down for payment to the Contractor upon each of the Employer's Representative's Certificate by the Employer has been exceeded, the Contractor shall be entitled to claim simple interest calculated pro-rata on the basis of the number of days delayed at the Central Bank of Kenya's average base lending rate prevailing on the first day the payment becomes overdue. The Contractor will be required to notify the Employer within 15 days of receipt of delayed payments of his intentions to claim interest.

15. Insurance

- 15.1 The Contractor shall be responsible for and shall take out appropriate cover against, among other risks, personal injury; loss of or damage to the Works, materials and plant; and loss of or damage to property.

16. Liquidated Damages

- 16.1 The Contractor shall pay liquidated damages to the Employer at the rate 0.001 per cent of the Contract price per day for each day that the actual Completion Date is later than the Intended Completion Date except in the case of any of the occurrences listed under clause 9.2. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.

17. Completion and Taking Over

- 17.1 Upon deciding that the Work is complete the Contractor shall request the Employer's Representative to issue a Certificate of Completion of the Works, upon deciding that the Work is completed.

The Employer shall take over the Site and the Works within seven days of the Employer's Representative issuing a Certificate of Completion.

18. Termination

- 18.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract. These fundamental breaches of Contract shall include, but shall not be limited to, the following;
- (a) the Contractor stops Work for 30 days continuously without reasonable cause or authority from the Employer's Representative;
  - (b) the Contractor is declared bankrupt or goes into liquidation other than for a reconstruction or amalgamation;

- (c) a payment certified by the Employer's Representative is not paid by the Employer to the Contractor within 30 days after the expiry of the payment periods stated in sub clauses 14.2 and 14.3 hereinabove.
- (d) the Employer's Representative gives notice that failure to correct a particular defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time.

18.2 If the Contract is terminated, the Contractor shall stop Work immediately, and leave the Site as soon as reasonably possible. The Employer's Representative shall immediately thereafter arrange for a meeting for the purpose of taking record of the Works executed and materials, goods, equipment and temporary buildings on Site.

## 19. Payment Upon Termination

19.1 The Employer may employ and pay other persons to carry out and complete the Works and to rectify any defects and may enter upon the Works and use all materials on Site, plant, equipment and temporary works.

19.2 The Contractor shall, during the execution or after the completion of the Works under this clause, remove from the Site as and when required within such reasonable time as the Employer's Representative may in writing specify, any temporary buildings, plant, machinery, appliances, goods or materials belonging to him, and in default thereof, the Employer may (without being responsible for any loss or damage) remove and sell any such property of the Contractor, holding the proceeds less all costs incurred to the credit of the Contractor.

19.3 Until after completion of the Works under this clause, the Employer shall not be bound by any other provision of this Contract to make any payment to the Contractor, but upon such completion as aforesaid and the verification within a reasonable time of the accounts therefor the Employer's Representative shall certify the amount of expenses properly incurred by the Employer and, if such amount added to the money paid to the Contractor before such determination exceeds the total amount which would have been payable on due completion in accordance with this Contract, the difference shall be a debt payable to the Employer by the Contractor; and if the said amount added to the said money be less than the said total amount, the difference shall be a debt payable by the Employer to the Contractor.

## 20. Corrupt Gifts and Payments of Commission

20.1 The Contractor shall not;

- (a) Offer or give or agree to give to any person in the service of the Employer any gifts or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other contract with the Employer or for showing or forbearing to show favour or disfavour to any person in relation to this or any other contract with the Employer.
- (b) Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the Laws of Kenya.

## 21. Settlement of Disputes

- 21.1 Any dispute arising out of the Contract which cannot be amicably settled between the parties shall be referred by either party to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed by the chairman of the Chartered Institute of Arbitrators, Kenya branch, on the request of the applying party.

## SECTION IV – APPENDIX TO CONDITIONS OF CONTRACT

### THE EMPLOYER IS

Name: **GOVERNOR - Mandera County Government**  
 Address: **P.O Box 13, MANDERA**

Name of Authorized Representative: **County Executive Committee Member –  
 AGRICULTURE, LIVESTOCK, FISHERIES, IRRIGATION AND  
 WATER HARVESTING**

Cell phone: .....  
 E-mail:/Fax: .....

Name of Alternative Representative: **Chief Officer – LIVESTOCK AND FISHERIES**  
 Cell phone: .....  
 E-mail:/Fax: .....

The Project Manager is: **County Director – PUBLIC WORKS, Mandera County.**  
 Address: **P.O. BOX 13, MANDERA**  
 Cell phone: .....

**1.1 The name (and identification number) of the Contract is: PROPOSED CONSTRUCTION OF SLAUGHTER HOUSE IN ELWAK MANDERA SOUTH SUB COUNTY**

**1.2 The works consist of: PROPOSED CONSTRUCTION OF SLAUGHTER HOUSE IN ELWAK MANDERA SOUTH SUB COUNTY**

The Start Date shall be **AGREED WITH THE PROJECT MANAGER**

The Intended Completion Date for the whole of the Works shall be **fifty two weeks (52)** from the **commencement date as agreed with the Project Manager.**

The following documents also form part of the Contract:  
**AS LISTED IN CLAUSE 2.3 OF CONDITIONS OF CONTRACT**

The Contractor shall submit a revised program for the Works within **fourteen days( 14)** days of delivery of the Letter of Acceptance.

The Site Possession Date shall be **AGREED WITH THE PROJECT MANAGER**  
 The Defects Liability period is **180** days

The minimum insurance covers shall be; **“ALL RISKS INSURANCE”**

The following events shall also be Compensation Events:

**1. NONE (ONLY AS LISTED IN CLAUSE 24 OF THE CONDITIONS OF CONTRACT**

2. \_\_\_\_\_

3. \_\_\_\_\_

4. \_\_\_\_\_

The period between Program updates is **15** days.

The amount to be withheld for late submission of an updated Program is **FULL CERTIFICATE**

The proportion of payments retained is **10%** percent.

The Price Adjustment Clause **SHALL NOT** apply

The liquidated damages for the whole of the Works is Kshs.**1,000.00** (per week)

The Performance Security shall be for the following minimum amounts equivalent as a percentage of the Contract Price **10 percent (%)**

The Completion Period for the Works is **fifty two weeks (52)**

The rate of exchange for calculation of foreign currency payments is **not applicable**

The schedule of basic rates used in pricing by the Contractor is as attached [*Contractor to attach*].

Advance Payment **SHALL NOT be** granted.

The Bidder should submit **ONLY ONE (1 NO.) ORIGINAL AND A COPY** of the Bills of Quantities as indicated in Clause 4.1 of the Instruction to Tenderers.

**This Tender must be accompanied by a Bid Bond or else the tender shall be disqualified.**

## **SECTION V- STANDARD FORM**

- (i) Form of Invitation for Tenders
- (ii) Form of Tender
- (iii) Letter of Acceptance
- (iv) Form of Agreement
- (v) Form of Tender Security
- (vi) Performance Bank Guarantee
- (vii) Bank Guarantee for Advance Payment
- (viii) Qualification Information
- (ix) Tender Questionnaire
- (xi) Confidential Business Questionnaire
- (x) Statement of Foreign Currency Requirement
- (xi) Details of Sub-Contractors
- (x) Request for Review Form

## FORM OF TENDER

TO: MANDERA COUNTY GOVERNMENT

\_\_\_\_\_ [Date]

1.3 **REF:** TENDER FOR PROPOSED CONSTRUCTION OF SLAUGHTER HOUSE IN ELWAK  
MANDERA SOUTH SUB COUNTY

Dear Sir,

1. In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct, install and complete such Works and remedy any defects therein for the sum of Kshs. \_\_\_\_\_ [Amount in figures] Kenya Shillings \_\_\_\_\_ [Amount in words]
2. We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Project Manager's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Appendix to Conditions of Contract.
3. We agree to abide by this tender for 120 days from the date of submission, and it shall remain binding upon us and may be accepted at any time before that date.
4. Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us.
5. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_\_

Signature \_\_\_\_\_ in the capacity of \_\_\_\_\_

duly authorized to sign tenders for and on behalf of  
\_\_\_\_\_ [Name of Employer]  
of \_\_\_\_\_ [Address of Employer]

Witness; Name \_\_\_\_\_

Address \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_



**LETTER OF ACCEPTANCE****[letterhead paper of the Employer]**

\_\_\_\_\_[date]

To: \_\_\_\_\_  
[name of the Contractor]\_\_\_\_\_  
[address of the Contractor]

Dear Sir,

This is to notify you that your Tender dated \_\_\_\_\_  
 for the execution of \_\_\_\_\_  
*[name of the Contract and identification number, as given in the Tender documents]* for  
 the Contract Price of Kshs. \_\_\_\_\_ *[amount in figures]* [Kenya  
 Shillings \_\_\_\_\_ *(amount in words)* ] in accordance with the  
 Instructions to Tenderers is hereby accepted.

You are hereby instructed to proceed with the execution of the said Works in  
 accordance with the Contract documents.

Authorized Signature .....

Name and Title of Signatory .....

Attachment : Agreement

## FORM OF AGREEMENT

THIS AGREEMENT, made the \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_ between **MANDERA COUNTY GOVERNMENT** of[or whose registered office is situated at] **P.O BOX 13, MANDERA,KENYA** (hereinafter called “the Employer”) of the one part AND \_\_\_\_\_ of[or whose registered office is situated at]\_\_\_\_\_ (hereinafter called “the Contractor”) of the other part.

WHEREAS THE Employer is desirous that the Contractor executes PROPOSED CONSTRUCTION OF SLAUGHTER HOUSE IN ELWAK MANDERA SOUTH SUB COUNTY

MCG/OT/49/2020-2021

(*name and identification number of Contract* ) (hereinafter called “the Works”) located at **Mandera County**[*Place/location of the Works*]and the Employer has accepted the tender submitted by the Contractor for the execution and completion of such Works and the remedying of any defects therein for the Contract Price of

Kshs \_\_\_\_\_[*Amount in figures*],Kenya

Shillings \_\_\_\_\_[*Amount in words*].

NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents shall be deemed to form and shall be read and construed as part of this Agreement i.e.
  - (i) Letter of Acceptance
  - (ii) Form of Tender
  - (iii) Conditions of Contract Part I
  - (iv) Conditions of Contract Part II and Appendix to Conditions of Contract
  - (v) Specifications
  - (vi) Drawings
  - (vii) Priced Bills of Quantities
3. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby

covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.

1. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

The common Seal of \_\_\_\_\_

Was hereunto affixed in the presence of \_\_\_\_\_

Signed Sealed, and Delivered by the said \_\_\_\_\_

Binding Signature of Employer \_\_\_\_\_

Binding Signature of Contractor \_\_\_\_\_

In the presence of (i) Name \_\_\_\_\_

Address \_\_\_\_\_

Signature \_\_\_\_\_

[ii] Name \_\_\_\_\_

Address \_\_\_\_\_

Signature \_\_\_\_\_

**FORM OF TENDER SECURITY**

WHEREAS .....(hereinafter called “the Tenderer”) has submitted his tender dated ..... for the construction of .....  
 ..... (name of Contract)

KNOW ALL PEOPLE by these presents that WE ..... having our registered office at .....(hereinafter called “the Bank”), are bound unto .....(hereinafter called “the Employer”) in the sum of Kshs..... for which payment well and truly to be made to the said Employer, the Bank binds itself, its successors and assigns by these presents sealed with the Common Seal of the said Bank this ..... Day of .....20.....

THE CONDITIONS of this obligation are:

1. If after tender opening the tenderer withdraws his tender during the period of tender validity specified in the instructions to tenderers  
 Or
2. If the tenderer, having been notified of the acceptance of his tender by the Employer during the period of tender validity:
  - (a) fails or refuses to execute the form of Agreement in accordance with the Instructions to Tenderers, if required; or
  - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Tenderers;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the said date.

\_\_\_\_\_  
 [date]

\_\_\_\_\_  
 [signature of the Bank]

\_\_\_\_\_  
 [witness]

\_\_\_\_\_  
 [seal]

**PERFORMANCE BANK GUARANTEE**

To: \_\_\_\_\_(Name of Employer) \_\_\_\_\_(Date)  
 \_\_\_\_\_(Address of Employer)

Dear Sir,

WHEREAS \_\_\_\_\_(hereinafter called “the Contractor”) has undertaken, in pursuance of Contract No. \_\_\_\_\_ dated \_\_\_\_\_ to execute \_\_\_\_\_ (hereinafter called “the Works”);

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognised bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Contractor, up to a total of Kshs. \_\_\_\_\_ (*amount of Guarantee in figures*) Kenya Shillings \_\_\_\_\_ (*amount of Guarantee in words*), and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of Kenya Shillings \_\_\_\_\_ (*amount of Guarantee in words*) as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change, addition or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any change, addition, or modification.

This guarantee shall be valid until the date of issue of the Certificate of Completion.

SIGNATURE AND SEAL OF THE GUARANTOR \_\_\_\_\_

Name of Bank \_\_\_\_\_

Address \_\_\_\_\_

Date \_\_\_\_\_

**BANK GUARANTEE FOR ADVANCE PAYMENT**

To: \_\_\_\_\_ *[name of Employer]* \_\_\_\_\_ *(Date)*  
 \_\_\_\_\_ *[address of Employer]*

Gentlemen,

Ref: \_\_\_\_\_ *[name of Contract]*

In accordance with the provisions of the Conditions of Contract of the above-mentioned Contract, We, \_\_\_\_\_ *[name and Address of Contractor]* (hereinafter called "the Contractor") shall deposit with \_\_\_\_\_ *[name of Employer]* a bank guarantee to guarantee his proper and faithful performance under the said Contract in an amount of Kshs. \_\_\_\_\_ *[amount of Guarantee in figures]* Kenya Shillings \_\_\_\_\_ *[amount of Guarantee in words]*.

We, \_\_\_\_\_ *[bank or financial institution]*, as instructed by the Contractor, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to \_\_\_\_\_ *[name of Employer]* on his first demand without whatsoever right of objection on our part and without his first claim to the Contractor, in the amount not exceeding Kshs \_\_\_\_\_ *[amount of Guarantee in figures]* Kenya Shillings \_\_\_\_\_ *[amount of Guarantee in words]*, such amount to be reduced periodically by the amounts recovered by you from the proceeds of the Contract.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between \_\_\_\_\_ *[name of Employer]* and the Contractor, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

No drawing may be made by you under this guarantee until we have received notice in writing from you that an advance payment of the amount listed above has been paid to the Contractor pursuant to the Contract.

This guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until \_\_\_\_\_ *(name of Employer)* receives full payment of the same amount from the Contractor.

Yours faithfully,

Signature and Seal \_\_\_\_\_

Name of the Bank or financial institution \_\_\_\_\_

Address \_\_\_\_\_

Date \_\_\_\_\_

Witness:     Name: \_\_\_\_\_

Address: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

**CONFIDENTIAL BUSINESS QUESTIONNAIRE**

You are requested to give the particulars indicated in Part 1 and either Part 2 (a), 2 (b) or 2 (c) and 2 (d) whichever applies to your type of business.

You are advised that it is a serious offence to give false information on this Form.

*Part 1 – General*

Business Name .....

Location of business premises; Country/Town.....

Plot No..... Street/Road .....

Postal Address..... Tel No.....

Nature of Business.....

Current Trade Licence No..... Expiring date.....

Maximum value of business which you can handle at any time: K. pound.....

Name of your bankers.....

Branch.....

*Part 2 (a) – Sole Proprietor*

Your name in full..... Age.....

Nationality..... Country of Origin.....

\*Citizenship details .....

*Part 2 (b) – Partnership*

*Give details of partners as follows:*

	<i>Name in full</i>	<i>Nationality</i>	<i>Citizenship Details</i>	<i>Shares</i>
1.....				
2.....				
3.....				



**Part 2(c) – Registered Company:**

Private or public.....

State the nominal and issued capital of the Company-

Nominal Kshs.....

Issued Kshs.....

Give details of all directors as follows:

Name in full.      Nationality.      Citizenship Details\*.      Shares.

1.  
.....

2.  
.....

3.  
.....

4.  
.....

**Part 2(d) – Interest in the Firm:**

Is there any person / persons in .....(Name of Employer) who has interest in this firm? Yes/No.....(Delete as necessary)

I certify that the information given above is correct.

.....  
(Title)                      (Signature)                      (Date)

- Attach proof of citizenship

**LETTER OF NOTIFICATION OF AWARD**

Address of Procuring Entity

---

---

To: 

---

---

---

---

RE: Tender No. 

---

Tender Name 

---

This is to notify that the contract/s stated below under the above mentioned tender have been awarded to you.

---

---

1. Please acknowledge receipt of this letter of notification signifying your acceptance.
2. The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3. You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.

(FULL PARTICULARS) 

---

---

SIGNED FOR ACCOUNTING OFFICER

**FORM RB 1**

**REPUBLIC OF KENYA**  
**PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD**

APPLICATION NO.....OF.....20.....

BETWEEN

.....APPLICANT

AND

.....RESPONDENT (*Procuring Entity*)

Request for review of the decision of the..... (*Name of the Procuring Entity*) of  
 .....dated the...day of .....20.....in the matter of Tender No.....of  
 .....20...

**REQUEST FOR REVIEW**

I/We.....,the above named Applicant(s), of address: Physical  
 address.....Fax No.....Tel. No.....Email ....., hereby request the Public  
 Procurement Administrative Review Board to review the whole/part of the above mentioned  
 decision on the following grounds , namely:-

- 1.
- 2.
- etc.

By this memorandum, the Applicant requests the Board for an order/orders that: -

- 1.
- 2.
- etc

SIGNED .....(Applicant)

Dated on.....day of ...../...20...

---

**FOR OFFICIAL USE ONLY**

Lodged with the Secretary Public Procurement Administrative Review Board on ..... day  
 of .....20.....

SIGNED  
 Board Secretary

# FORM OF POWER OF ATTORNEY

***(All bidders shall complete this form otherwise, their bids shall be considered non-responsive)***

We \_\_\_\_\_ (Name of Bidder)

having our offices located in \_\_\_\_\_ (Name of Town and Building) duly  
authorise

\_\_\_\_\_ (Name of person appointed to act for and on behalf  
of the bidder) to act for and on our behalf on all matters pertaining to the execution of works as stipulated under  
PROPOSED CONSTRUCTION OF SLAUGHTER HOUSE IN ELWAK MANDERA SOUTH SUB COUNTY

Duly signed and delivered:

Name of appointed attorney: \_\_\_\_\_

Signature of appointed attorney: \_\_\_\_\_

Witnessed by:

1. Name of First Company Director: \_\_\_\_\_

Signature: \_\_\_\_\_

2. Name of Second Company Director: \_\_\_\_\_

Signature: \_\_\_\_\_

Company Seal:

\_\_\_\_\_

# FIFTH SCHEDULE

## SELF DECLARATION FORMS (r.47) FORM SD1

SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE  
MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.

I, ....., of Post Office Box ..... being a resident  
of ..... in the Republic of ..... do hereby make a  
statement as follows:- 1. THAT I am the Company Secretary/ Chief Executive/Managing  
Director/Principal Officer/Director of ..... (insert name of the  
Company) who is a Bidder in respect of Tender No. .... for  
.....(insert tender title/description) for .....( insert name of the  
Procuring entity) and duly authorized and competent to make this statement.

2. THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from  
participating in procurement proceeding under Part IV of the Act.

3. THAT what is deponed to herein above is true to the best of my knowledge, information  
and belief.

.....  
(Title) (Signature) (Date)

Bidder Official Stamp

## SELF DECLARATION FORMS

SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE.

I, .....of P. O. Box ..... being a resident of ..... in the Republic of ..... do hereby make a statement as follows:- 1. THAT I am the Chief Executive/Managing Director/Principal Officer/Director of ..... (insert name of the Company) who is a Bidder in respect of Tender No. .... for .....(insert tender title/description) for .....( insert name of the Procuring entity) and duly authorized and competent to make this statement. 854 Kenya Subsidiary Legislation, 2020

2. THAT the aforesaid Bidder, its servants and/or agents /subcontractors will not engage in any corrupt or fraudulent practice and has not been requested to pay any inducement to any member of the Board, Management, Staff and/or employees and/or agents of .....( insert name of the Procuring entity) which is the procuring entity.

3. THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to any member of the Board, Management, Staff and/or employees and/or agents of .....(name of the procuring entity)

4. THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender

5. THAT what is deponed to hereinabove is true to the best of my knowledge information and belief

.....  
(Title) (Signature) Date)

Bidder's Official Stamp

## SECTION VI – SPECIFICATIONS, DRAWINGS & BILLS OF QUANTITIES

### SPECIFICATIONS

#### Notes for preparing Specifications

- 1.0 Specifications must be drafted to present a clear and precise statement of the required standards of materials, and workmanship for tenderers to respond realistically and competitively to the requirements of the Employer and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models, and incorporating all recent improvements in design and materials unless provided otherwise in the Contract. Where the Contractor is responsible for the design of any part of the permanent Works, the extent of his obligations must be stated.
- 2.0 Specifications from previous similar projects are useful and may not be necessary to re-write specifications for every Works Contract.
- 3.0 There are considerable advantages in standardizing **General Specifications** for repetitive Works in recognized public sectors, such as highways, urban housing, irrigation and water supply. The General Specifications should cover all classes of workmanship, materials and equipment commonly involved in constructions, although not necessarily to be used in a particular works contract. Deletions or addenda should then adapt the General Specifications to the particular Works.
- 4.0 Care must be taken in drafting Specifications to ensure they are not restrictive. In the Specifications of standards for materials, plant and workmanship, existing Kenya Standards should be used as much as possible, otherwise recognized international standards may also be used.
- 5.0 The Employer should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in tender documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential tenderers.

The Employer should provide a description of the selected parts of the Works with appropriate reference to Drawings, Specifications, Bills of Quantities, and Design or Performance criteria, stating that the alternative solutions shall be at least structurally and functionally equivalent to the basic design parameters and Specifications.

Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Employer, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details. Technical alternatives permitted in this manner shall be considered by the Employer each on its own merits and independently of whether the tenderer has priced the item as described in the Employer's design included with the tender documents.





## **BILLS OF QUANTITIES**

# PREMILINARIES

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
	<b><u>PARTICULAR PRELIMINARIES</u></b>	
<b>A</b>	<b><u>PRICING ITEMS OF PRELIMINARIES</u></b>  Prices SHALL BE INSERTED against items of “preliminaries” in the tenderer’s priced Bills of Quantities. The contractor is advised to read and understand all the necessary preliminary items.	
<b>B</b>	<b><u>DESCRIPTION OF THE WORKS:</u></b> <i>The works comprises:</i> Proposed construction of slaughter house in Elwak Mandera south sub county	
<b>C</b>	<b><u>MEASUREMENTS</u></b>  In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT MANAGER in accordance with Clause 22 of the Conditions of Contract. The discrepancies shall then be treated as a variation and be dealt with in accordance with Clause 22 of the said Conditions.	
<b>D</b>	<b><u>LOCATION OF SITE</u></b>  The site is located elwak Mandera south sub county in Mandera County. The Contractor is advised to visit the site, to familiarize with the nature and position of the site. No claims arising from the Contractor’s failure to do so will be entertained.	
<b>E</b>	<b><u>P.C. AND PROVISIONAL SUM</u></b>  The allowances given for the above is for full contract.	
<b>F</b>	<b><u>CLEARING AWAY</u></b>  The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean and tidy state to the reasonable satisfaction of the Project Manager. <u>The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager.</u>	
<b>G</b>	<b><u>CLAIMS</u></b>  It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and/or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claims shall be Entertained upon the expiry of the said contract period.	
	<b>CARRIED TO SUMMARY</b>	

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
<b>A</b>	<b><u>PREVENTION OF ACCIDENT, DAMAGE OR LOSS</u></b>  The Contractor is notified that these works are to be carried out on a restricted site where the office is going on with its normal activities. The Contractor is instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss and disruption of normal activities being carried out by the client. The Contractor shall allow in his rates any expense he deems necessary by taking such care within the site. Noise should be minimized and any other kind of disruptions.	
<b>B</b>	<b><u>TAXES</u></b>  The tender shall include in their rates any taxes that they may be required to pay after execution of and payment for the works. It shall be the sole responsibility of the contractor to remit such payments directly to the right authorities.	
<b>C</b>	<b><u>WORKING CONDITIONS</u></b>  The Contractor shall allow in his rates for any interference that he may encounter in the course of execution of the works.	
<b>D</b>	<b><u>SIGNBOARD</u></b>  Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager.	
<b>E</b>	<b><u>LABOUR CAMPS</u></b>  The Contractor shall not be allowed to house labor on site. Allow for transporting workers to and from the site during the tenure of the contract.	
<b>F</b>	<b><u>MATERIALS FROM DEMOLITIONS</u></b>  Any materials arising from demolitions and not re-used shall become the property of the Client. The Contractor shall allow in his rates the cost of transporting the demolished materials as directed by the PROJECT MANAGER.	
<b>G</b>	<b><u>PRICING RATES</u></b>  The tenderer shall include for all costs in executing the whole of the works, including transport from stores, fixing, all to comply with the said Conditions of Contract. A tender which plus or minus 10% shall be considered as non-responsive.	
<b>H</b>	<b><u>TENDER SECURITY</u></b>  <i>The tender must be accompanied by a tender security of Kshs..... or else the tender shall be disqualified.</i>	
	<b>CARRIED TO SUMMARY</b>	

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
<p><b>A</b></p> <p><b><u>SECURITY</u></b></p> <p>The Contractor shall allow for providing adequate security for the works and the workers in the course of execution of this contract. No claim will be entertained from the Contractor for not maintaining adequate security for both the works and workers.</p> <p><b>B</b></p> <p><b><u>URGENCY OF THE WORKS</u></b></p> <p>The Contractor is notified that these “works are urgent” and should be completed within the period stated in these Particular Preliminaries.</p> <p>The Contractor shall allow in his rates for any costs he deems that he/she may incur by having to complete the works within the stipulated contract period.</p> <p><b>C</b></p> <p><b><u>EXISTING SERVICES</u></b></p> <p>Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concerned for the support, maintenance and protection of such services.</p> <p><b>D</b></p> <p><b><u>TRANSPORT</u></b></p> <p>The contractor shall provide when required for site trips only a vehicle, to comfortably seat at least four (4) persons including maintained license,</p> <p><b>E</b></p> <p><b><u>FIRM PRICE CONTRACT</u></b></p> <p>This is a firm (fixed) price contract. The contractor must allow for price changes during the contract period.</p> <p><b>F</b></p> <p><b><u>PERFORMANCE BOND</u></b></p> <p>A bond of 5% of the contract sum will be required in accordance with clause 6.00 on award of contract of the Instructions to Tenderer’s. No payment on account for the works executed will be made to the contractor until he has submitted the Performance Bond to the Project Manager duly signed, sealed and stamped from an approved Bank.</p> <p><b>G</b></p> <p><b><u>TENDER DOCUMENTS</u></b></p> <p>Tender documents are as listed in Clause 2.1 of the Instruction to Tenderer’s Page STD/8</p>		
	<p style="text-align: right;"><b>CARRIED TO SUMMARY</b></p>	

PRELIMINARIES

Item No.	Description	Amount (Kshs)
<b>A</b>	<p><b><u>DELIVERY OF TENDER</u></b></p> <p>Tenders and all documents in connection therewith, as specified above must be delivered in the addressed envelope which should be properly sealed and deposited at the offices as specified in the letter accompanying these documents.</p> <p><i>Tenders will be opened at the time specified in the letter accompanying these Tender Documents or as indicated in the advertisement. Tenders delivered/received later than the above time will not be opened.</i></p>	
<b>B</b>	<p><b><u>VALUE ADDED TAX</u></b></p> <p>The Contractor's attention is drawn to the Legal Notice in the Finance Act part 3 Section 21(b) operative from 1st September,1993 which requires payment of VAT on all contracts. However,the contractor shall make provision for this in the individual rates as it will not be separately provided for in this document.</p> <p><b><u>PARTICULARS OF INSERTIONS TO BE MADE IN APPENDIX TO CONTRACT AGREEMENT</u></b> The following are the insertions to be made in the appendix to the Contract Agreement: -</p> <p><b>A Period of Final Measurement</b> 3 Months from Practical completion</p> <p><b>B Defects Liability Period</b> 6 Months from practical completion</p> <p><b>C Date for Possession</b> To be agreed with the Project Manager</p> <p><b>D Date for Completion</b> To be agreed with the Project Manager</p> <p><b>E Liquidated and Ascertained</b> At the rate of Kshs.1,000.00 per week or part thereof</p> <p><b>F <u>Prime cost sums for which the</u></b> <b>The Contractor desires to tender</b> _____</p> <p><b>G Period of Interim Certificates</b> Monthly</p> <p><b>H Period of Honoring Certificates</b> 30 days</p> <p><b>I Percentage of Certified Value Retained</b> 10%</p> <p><b>J Limit of Retention Fund</b> 10 %</p>	
	<b>CARRIED TO SUMMARY</b>	

PRELIMINARIES

Item	Description	Amount (Kshs)
No.		
1	<b><u>SPECIAL PRELIMINARIES</u></b>	
	Treasury circular No.5 of May 1974, instruction No.8 requires the Client Department responsible for the development project component (i.e. equipment, vehicle etc)	
	<b><u>The contractor to supply the following: -</u></b>	
A	DELL 17.3"PRECISION 7730 INTEL COREi9 -8950HK,6 CORE 2.90GHZ TO 4.80GHZ TURBO, RAM 64GB DDR4 MEMORY,4X16GB 1TB SSD ULTRASHARP UHD IGZO 3840X2160	700,000
B	Supply in good quality condition (2 no) Boxer motorbike as per the following brand, also provide with motor insurance as third party and branded county number plate <b>Brand:</b> Bajaj <b>Product Code:</b> BM X150 <b>Availability:</b> 3 <b>Weight:</b> 122.00kg <b>Dimensions:</b> 2,016.00cm X 740.00cm X 1,055.00cm	450,000

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
2	<p><b><u>SPECIAL PRELIMINARIES</u></b></p> <p>Treasury circular No.5 of May 1974, instruction No.8 requires the Client Department responsible for the development project component (i.e. equipment, vehicle etc)</p> <p><b><u>The contractor to supply the following: -</u></b></p> <p>MOBILE PHONE AIRTIME FOR OFFICERS</p> <p><b>A</b> Provide mobile phone airtime worth Kshs. 2,000/= per person per calendar month for 2No. Officers for the duration of contract.</p> <p><b>B</b> Include a percentage sum for the contractor's cost and profit for the above..... 10%</p> <p><b><u>LUNCH FOR THE PROJECT TEAM</u></b></p> <p><b>C</b> Provide 2No lunches per person at the rate of Kshs 1,000/= per fortnight (site inspection &amp; site meetings) for 2No. Design team members during the duration of the contract.</p> <p><b>D</b> Include a percentage sum for the contractor's cost and profit for the above..... 10%</p> <p><b><u>CLERK OF WORKS EXPENSES</u></b></p> <p><b>E</b> Allow a sum of Kshs. .... for Clerk of Works expenses to be paid at the rate of Kshs. 1,000/= per day.</p> <p><b>F</b> Include a percentage sum for the contractor's cost and profit for the above..... 10%</p>	
	<b>CARRIED TO SUMMARY</b>	



## PRELIMINARIES

Item No.	Description	Amount (Kshs)
	<b><u>COLLECTION PAGE</u></b>	
	Total brought forward from page PP/01	
	Total brought forward from page PP/02	
	Total brought forward from page PP/03	
	Total brought forward from page PP/04	
	Total brought forward from page PP/05	
	Total brought forward from page PP/06	
	CARRIED TO SUMMARY	
BILL NO. I PRELIMINARIES ELEMENT NO. 01 PARTICULAR PRELIMINARIES		

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
<b>A</b>	<p><b><u>GENERAL PRELIMINARIES</u></b></p>	
	<p><b><u>PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES</u></b></p> <p>Prices shall be inserted against items of Preliminaries in the Contractor's priced bills of Quantities and Specification but not in the unit rates</p>	
<b>B</b>	<p><b><u>ABBREVIATIONS</u></b></p>	
	<p>Throughout the Bills, unites of measurement and terms are abbreviated and shall be interpreted as follows: -</p> <p>C.M.        Shall mean cubic meter</p> <p>S.M         Shall mean square meter</p> <p>L.M.        Shall mean linear meter</p> <p>M.M        Shall mean Millimeter</p> <p>Kg.         Shall mean Kilogram</p> <p>No.         Shall mean Number</p> <p>Prs.        Shall mean Pairs</p> <p>B.S.        Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I.,England.</p> <p>Ditto        Shall mean the whole of the preceding description except as qualified in the description in which it occurs.</p> <p>m.s.        Shall mean measured separately.</p> <p>a.b.d        Shall mean as before described.</p>	
	<b>CARRIED TO SUMMARY</b>	

PRELIMINARIES

Item No.	Description	Amount (Kshs)
<b>A</b>	<p><b><u>EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT</u></b></p> <p>Attendance; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted: -</p> <p>Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standard scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub-Contractor's work and being responsible for the accuracy of the same.</p>	
<b>B</b>	<p><b><u>Fix Only: -</u></b></p> <p>"Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.</p>	
<b>C</b>	<p><b><u>EMPLOYER</u></b></p> <p><i><u>The "Employer" is the GORVENOR- MANDERA COUNTY GOVERNMENT</u></i></p> <p>The term "Employer" and "Client" wherever used in the contract document shall be synonymous</p>	
<b>D</b>	<p><b><u>PROJECT MANAGER</u></b></p> <p>The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the Project Manager as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorized to represent him on behalf of the Client.</p>	
<b>E</b>	<p><b><u>ARCHITECT</u></b></p> <p>The term "Architect" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Department of Public Works, P.O. Box 49, MANDERA</p>	
<b>F</b>	<p><b><u>QUANTITY SURVEYOR</u></b></p> <p>The term "Quantity Surveyor" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Department of Public Works, P.O. Box 49, MANDERA.</p>	
<b>G</b>	<p><b><u>ELECTRICAL ENGINEER</u></b></p> <p>The term "Electrical engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Department of Public Works.</p>	
	<b>CARRIED TO SUMMARY</b>	

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
<b>A</b>	<b><u>MECHANICAL ENGINEER</u></b>  The term "Mechanical Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Department of Public Works.	
<b>B</b>	<b><u>STRUCTURAL ENGINEER</u></b>  The term "Structural Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Department of Public Works.	
<b>C</b>	<b><u>FORM OF CONTRACT</u></b>  The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works (2000 Edition). A copy of which is available at the Department of Public Works – MANDERA.	
<b>D</b>	<b><u>CONDITIONS OF CONTRACT</u></b>  These are numbered from 1 – 37 and are contained in the above-named document. Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of quantities.	
<b>E</b>	<b><u>BOND</u></b>  The Contractor shall find and submit an approved bank and who will be willing to be bound to the client in an amount equal to five percent (5%) of the Contract amount for the due performances of the Contract up to the date of completion as certified by the PROJECT MANAGER and who will when and if called upon, sign and Bond to that effect on the relevant standard form included herein. (Without the addition of any limitations) on the same day as the contract Agreement is signed, by the Government, the Contractor shall furnish within seven days another Surety to the approval of the Government.	
<b>F</b>	<b><u>PLANTS, TOOLS AND VEHICLES</u></b>  Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.	
<b>G</b>	<b><u>TRANSPORT</u></b>  Allow for transport of workmen, materials from stores, etc. to and from the site at such hours and by such routes as may be permitted by the competent authorities.	
<b>CARRIED TO SUMMARY</b>		

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
<p><b>A</b></p> <p><b><u>MATERIALS AND WORKMANSHIP</u></b></p> <p>All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.</p> <p><b>B</b></p> <p><b><u>SIGN FOR MATERIALS SUPPLIED</u></b></p> <p>The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and /or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER.</p> <p><b>C</b></p> <p><b><u>STORAGE OF MATERIALS</u></b></p> <p>The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-contractors are to be made liable for the cost of any storage accommodation provided especially for their use.</p> <p><b>D</b></p> <p><b><u>SAMPLES</u></b></p> <p>The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expenses of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Public Works.</p> <p>The procedure for submitting samples or materials for testing and the method of making for identification shall be as laid down by the PROJECT MANAGER. The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractor's work.</p>	<p><b>CARRIED TO SUMMARY</b></p>	

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
A	<p><b><u>GOVERNMENT ACTS REGARDING WORK PEOPLE ETC.</u></b></p> <p>Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labor and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople.</p> <p>The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labor, labor camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organization of the works, supply and control of labor, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.</p>	
B	<p><b><u>SECURITY OF WORKS ETC.</u></b></p> <p>The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and protection of the public.</p>	
C	<p><b><u>PUBLIC AND PRIVATE ROADS</u></b></p> <p>Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from the consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER.</p>	
D	<p><b><u>EXISTING PROPERTY</u></b></p> <p>The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expenses to the satisfaction of the PROJECT MANAGER.</p>	
E	<p><b><u>VISIT SITE AND EXAMINE DRAWINGS</u></b></p> <p>The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.</p>	
	<p style="text-align: right;"><b>CARRIED TO SUMMARY</b></p>	

PRELIMINARIES

Item No.	Description	Amount (Kshs)
<b>A</b>	<p><b><u>ACCESS TO SITE AND TEMPORARY ROADS</u></b></p> <p>Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads.</p>	
<b>B</b>	<p><b><u>AREA TO BE OCCUPIED BY THE CONTRACTOR</u></b></p> <p>The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER.</p>	
<b>C</b>	<p><b><u>OFFICE, ETC. FOR THE PROJECT MANAGER</u></b></p> <p>The Contractor shall provide, erect and maintain where direct on site and afterwards dismantle the site office of the type noted in the Particular Preliminaries, complete the Furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and tow keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works.</p> <p><i>The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with leveling staff, ranging rods and 50 metre metallic or linen tape.</i></p>	
<b>D</b>	<p><b><u>WATER AND ELECTRICITY SUPPLY FOR THE WORKS</u></b></p> <p>The Contractor shall provide t his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his won cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER. The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub-Contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.</p>	
<b>E</b>	<p><b><u>SANITATION OF THE WORKS</u></b></p> <p>The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and /or Local Authorities, Labour Department and the PROJECT MANAGER.</p>	
	<b>CARRIED TO SUMMARY</b>	

PRELIMINARIES

Item No.	Description	Amount (Kshs)
<b>A</b>	<p><b><u>SUPERVISION AND WORKING HOURS</u></b></p> <p>The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and Sub-Contractors or other places where work is being prepared for the contract.</p>	
<b>B</b>	<p><b><u>PROVISIONAL SUMS</u></b></p> <p>The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (i) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Such sums are net and no addition shall be made to them for profit.</p>	
<b>C</b>	<p><b><u>PRIME COST (OR P.C.) SUMS</u></b></p> <p>The term "Prime Costs Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods as stated in Condition No. 20 of the Conditions of Contract are described herein as Nominated Sub-Contractors.</p> <p>Persons of firms so nominated to supply goods or materials are described herein as Nominated Suppliers.</p>	
<b>D</b>	<p><b><u>PROGRESS CHART</u></b></p> <p>The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT chart to be amended as necessary as the work proceeds.</p>	
<b>E</b>	<p><b><u>ADJUSTMENT OF P.C. SUMS</u></b></p> <p>In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them.</p> <p>Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.</p>	
	<b>CARRIED TO SUMMARY</b>	



**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
A	<p><b><u>ADJUSTMENT OF PROVISIONAL SUMS</u></b></p> <p>In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER'S order added to the Contract Sum. Such work shall be valued as described for Variations in Conditions No. 13 of the Conditions of Contract, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.</p>	
B	<p><b><u>NOMINATED SUB-CONTRACTORS</u></b></p> <p>When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into Sub-contracts as described in Condition No. 20 of the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".</p>	
C	<p><b><u>DIRECT CONTRACTS</u></b></p> <p>Notwithstanding the foregoing conditions, the client reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sums in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.</p>	
D	<p><b><u>ATTENDANCE UPON OTHER TRADESMEN, ETC.</u></b></p> <p>The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for any making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.</p>	
	CARRIED TO SUMMARY	

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
<p><b>A</b></p>	<p><b><u>INSURANCE</u></b></p> <p>The Contractor shall insure as required in Condition Nos. 22 and 23 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificates that the provision of the foregoing Insurance Clauses has been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER'S inspection.</p>	
<p><b>B</b></p>	<p><b><u>PROVISIONAL WORK</u></b></p> <p>All work described as "Provisional" in these Bills of Quantities is subject to re-measurement in order to ascertain in actual quality executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER.</p> <p>Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expenses.</p>	
<p><b>C</b></p>	<p><b><u>ALTERATIONS TO BILLS, PRICING, ETC.</u></b></p> <p>Any un-authorized alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.</p>	
<p><b>D</b></p>	<p><b><u>BLASTING OPERATIONS</u></b></p> <p>Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.</p>	
	<p style="text-align: right;"><b>CARRIED TO SUMMARY</b></p>	

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
<b>A</b>	<p><b><u>MATERIALS ARISING FROM EXCAVATIONS</u></b></p> <p>Materials of any kind obtained from the excavations shall be the property of the client. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.</p>	
<b>B</b>	<p><b><u>PROTECTION OF THE WORKS</u></b></p> <p>Provide protection of the whole of the works contained in the Bill of Quantities, including casing, casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.</p>	
<b>C</b>	<p><b><u>REMOVAL OF RUBBISH ETC.</u></b></p> <p>Removal of rubbish and debris from the buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.</p>	
<b>D</b>	<p><b><u>WORKS TO BE DELIVERED UP CLEAN</u></b></p> <p>Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metal works and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER.</p>	
<b>E</b>	<p><b><u>FIRM PRICE CONTRACT</u></b></p> <p>Unless otherwise specifically stated in the Particular Preliminaries this is a firm price Contract.</p> <p>The contractor must allow in his tender rates for any increase in the cost of labor and materials during the construction period.</p>	
<b>F</b>	<p><b><u>GENERAL SPECIFICATION.</u></b></p> <p>For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the <b>Ministry of Public Works General Specification dated 1976 or any subsequent revision</b> thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries. Trade Preambles or other items in these Bills of Quantities.</p>	
	<b>CARRIED TO SUMMARY</b>	

**PRELIMINARIES**

Item No.	Description	Amount (Kshs)
<p><b>A</b></p>	<p><b><u>TRAINING LEVY</u></b></p> <p>The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 3% of the contract sum on all contracts of more than Kshs.50,000.00 in value.</p>	
<p><b>B</b></p>	<p><b><u>MATERIALS ON SITE</u></b></p> <p>All materials for incorporation in the work must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main contractor, Nominated Sub-Contractors and Nominated Suppliers.</p>	
<p><b>C</b></p>	<p><b><u>HOARDING</u></b></p> <p>The Contractor shall enclose the site or part of the works under construction with a hoarding 2400mm high consisting of iron sheets on 100x50mm timber posts firmly secured at 1800mm centers with two 75x50mm timber rails approximately 300m. Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.</p>	
<p><b>D</b></p>	<p><b><u>CONTRACTOR'S SUPERINTENDENCE / SITE AGENT</u></b></p> <p>The Contractor shall constantly keep on the works literate English-speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works.</p> <p>Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.</p>	
	<p style="text-align: right;"><b>CARRIED TO SUMMARY</b></p>	

## PRELIMINARIES

Item No.	Description	Amount (Kshs)
	<b><u>COLLECTION PAGE</u></b>	
	Total brought forward from page GP/09	
	Total brought forward from page GP/10	
	Total brought forward from page GP/11	
	Total brought forward from page GP/12	
	Total brought forward from page GP/13	
	Total brought forward from page GP/14	
	Total brought forward from page GP/15	
	Total brought forward from page GP/16	
	Total brought forward from page GP/17	
	Total brought forward from page GP/18	
	Total brought forward from page GP/19	
	CARRIED TO SUMMARY	
BILL NO. I PRELIMINARIES ELEMENT NO. 02 GENERAL PRELIMINARIES		

## PRELIMINARIES

Item No.	Description	Amount (Kshs)
	BILL NO. I	
	PRELIMINARIES	
	BILL SUMMARY - PRELIMINARIES	
Item No.		Amount
1	PARTICULAR PRELIMINARIES	
2	GENERAL PRELIMINARIES	
	CARRIED TO SUMMARY	
	BILL NO. I PRELIMINARIES	

# **BILL OF QUANTITIES**

Item No		Unit	Quantity	Rate Kshs	Amount Kshs
	<b><u>SECTION NO. 2</u></b> <b><u>SLAUGHTERHOUSE AND MEAT PROCESSING BLOCK</u></b> <b>(inclusive of camel killing slab)</b> <b>BILL NO. 1</b> <b>SUBSTRUCTURE</b> <u>EXCAVATIONS</u> <i>Excavations including maintaining and supporting sides and keeping free from water, mud and fallen material</i>				
A	Excavate in site soils to reduce levels in n.e 1.50m	Cm	355		
B	Excavate foundation trench not exceeding 1.50 metres deep starting from reduced level and stockpile on site as directed	Cm	454		
C	Ditto; Column bases	Cm	401		
D	Extra over excavations for excavating in rock	Cm	61		
	<i>Planking and strutting</i>				
E	Allow for maintaining and supporting sides of excavations and for keeping the same free from fallen materials		Item		
	<i>Keeping excavations free of water</i>				
F	Allow for keeping excavations free of water and mud by pumping, bailing or other approved means		Item		
	<u>FILLINGS / DISPOSAL</u>				
G	Return, fill and ram selected imported murrum material around foundations.	Cm	633		
H	Load, wheel and deposit surplus excavated material where directed by architect on site not exceeding 50meters away	Cm	577		
	<i>Hardcore filling</i>				
J	300mm thick Under floors compacted in 150mm layers	Cm	328		
	<b>Carried to Collection</b>			KSHS	
	<i>Copyright Chief Quantity Surveyor</i>				



Item No		Unit	Quantity	Rate Kshs	Amount Kshs
A	50mm Thick quarry dust blinding to surfaces of hardcore <i>Anti- termite treatment</i>	Sm	1557		
B	Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore <i>Damp proof membrane</i>	Sm	1,557		
C	500 gauge polythene or other equal and approved damp proof membrane laid under surface bed with 300mm side and end laps (measured nett- allow for laps)  <u>CONCRETE WORK</u>  <i>Concrete 1:3:6, as described, in:-</i>	Sm	1557		
D	50mm thick blinding  <i>Reinforced concrete 1:2:4, as described, in:-</i>	Sm	474		
E	Strip foundations and Ground beams	Cm	60		
F	Column bases	Cm	52		
G	Sub – columns	Cm	7		
H	150mm thick Surface bed	Sm	1557		
J	Extra over surface bed for avg 150 x 100mm deep drainage channels (for drain channels)  <i>Reinforcement</i>  <i>Fabric reinforcement to B.S. 4483 and setting in concrete with 300mm side and end laps (measured net tallow for laps)</i>	Lm	200		
K	Fabric mesh ref:A142 in ground floor slab  <i>Square twisted mild steel steel reinforcement in structural concrete work</i>	Sm	1557		
L	8mm diameter bars	kg	1,617		
<b>Carried to Collection</b>				KSHS	
<i>Copyright Chief Quantity Surveyor</i>					

<i>Item No</i>		<i>Unit</i>	<i>Quantity</i>	<i>Rate Kshs</i>	<i>Amount Kshs</i>
A	10mm diameter bars	<b>kg</b>	2,303		
B	12mm diameter bars	<b>kg</b>	1,909		
C	16mm diameter bars	<b>kg</b>	156		
D	20mm diameter bars	<b>kg</b>	505		
E	25mm diameter bars	<b>kg</b>	508		
	<i>Sawn Formwork to:-</i>				
F	Strip footings and Ground beams	<b>Sm</b>	200		
G	Column bases	<b>Sm</b>	144		
H	Sub - columns	<b>Sm</b>	95		
J	Edges of ground floor slab over 75mm but not exceeding 150mm high	<b>Lm</b>	275		
	<u><i>SUB-WALL</i></u>				
	<i>Walling in natural coursed stone obtained from an approved quarry, jointed and bedded in gauged mortar (1:3 )</i>				
K	200mm Thick wall in foundations	<b>Sm</b>	650		
	<u><i>DPC</i></u>				
	<i>Three ply bituminous felt damp proof course bedded in cement and sand (1:3) mortar (measured net allow for laps)</i>				
L	200mm Wide horizontal layer	<b>Lm</b>	980		
	<u><i>PLINTH</i></u>				
	<i>12mm Cement and sand (1:3)render on stone or concrete work</i>				
M	Concrete or masonry walling plinths	<b>Sm</b>	96		
<b>Carried to Collection</b>				KSHS	
<i>Copyright Chief Quantity Surveyor</i>					

Item No	Unit	Quantity	Rate Kshs	Amount Kshs
<i>Prepare and apply two coats black bituminous paint to:-</i>				
A Rendered concrete or stone surfaces	<b>Sm</b>	96		
<i>Paved Plinths;</i>				
B Supply and lay pre-cast concrete slabs size 600 x 600mm laid on and including 50mm thick consolidated sand bed and 100mm thick murram sub-base - to fall and including all necessary excavations and anti-termite treatment to sub-base	<b>Sm</b>	136		
<u><b>GRATING COVERS</b></u>				
<i>Supply, assemble and fix the following purpose made standard section steel Grating cover to comply to B.S.990,obtained from an approved manufacturer, primed with red oxide primer before delivery to site</i>				
C 300mm wide 'ladder type' Steel grating cover comprising 50 x 12mm flat bar 'side bars' welded to ends of 300mm long 50 x 12mm flat bar 'rungs' at 100mm centres laid on and including 50 x 50 x 4mm angles 'side bearers' and including touching up primer, preparing and applying 3 coats first quality gloss oil paint to surfaces of metal	<b>Lm</b>	200		
<b>Carried to Collection</b>			KSHS	
<i>Copyright Chief Quantity Surveyor</i>				

<p>Bill No. 1</p> <p>SUBSTRUCTURES</p> <p><b><u>COLLECTION</u></b></p> <p>Total Brought Forward from Page No.</p>			<p><i>Page No</i></p>		<p><i>Amount Kshs</i></p>	
<p><b>Carried Forward to Summary of Section No. 2</b></p> <p><i>Copyright Chief Quantity Surveyor</i></p>				KSHS		



Bill No. 2

FRAME

**COLLECTION**

Total Brought Forward from Page No.

*Page  
No*

-AB/06-

-

*Amount  
Kshs*

**Carried Forward to Summary of Section No. 2**  
*Copyright Chief Quantity Surveyor*

KSHS

[illegible]

Item No		Unit	Quantity	Rate Kshs	Amount Kshs
	<b>BILL NO. 4</b>				
	<b>ROOFING</b>				
	<u>ROOF CONSTRUCTION</u>				
	<i>All Structural timbers, sawn cypress celcured with pressure impregnated treatment or equal to the Structural Engineer's Satisfaction</i>				
	<u>Timber roof construction (Provisional)</u>				
	<i>The following in assorted timber trusses, including hoisting and fixing in position approx 4000mm above ground floor including all necessary jointing</i>				
A	150 x 50mm Rafters	Lm	681		
B	Ditto, Tie beams	Lm	260		
C	Ditto; King posts	Lm	117		
D	100x50mm Struts/Ties	Lm	1175		
	<i>The following in assorted timber common rafters including hoisting and fixing in position approx 4000mm above ground floor including all necessary jointing</i>				
E	150 x 50mm Rafters	Lm	1049		
F	Ditto, Tie beams	Lm	136		
G	Ditto; King posts	Lm	710		
	<u>Other structural timbers etc.</u>				
H	100x50mm Purlins	Lm	1327		
J	250x32mm Ridge board	Lm	518		
K	100x50 mm Wall plate secured with and including 12mm diameter mild steel anchor bolt 300mm long at 900mm centres cast in concrete ring beam	Lm	398		
	<b>Carried to Collection</b>			KSHS	
	<i>Copyright Chief Quantity Surveyor</i>				





[illegible]

*Copyright Chief Quantity Surveyor*

[illegible]

## ROOFING

## COLLECTION

Total Brought Forward from Page No.

Page  
No

*Amount*  
*Kshs*

-AB/10-

-AB/11-

-AB/12-

**Carried Forward to Summary of Section No. 2**  
*Copyright Chief Quantity Surveyor*

KSHS

Item No		Unit	Quantity	Rate Kshs	Amount Kshs
	<b>BILL NO. 5</b>				
	<b>WINDOWS</b>				
	<u>Window Cill</u>				
A	150mm x 50mm weathered and throated pre-cast window cill pointed in cement and sand (1:3) mortar	Lm	381		
	<u>Gauze Steel Casements</u>				
	<i>Purpose made Burglar proofed casement windows with Mosquito gauze netting infill braced to frame;fabricated from standard "Z" section framing, and burglar proofed with 10mm solid square bars, including all coupling mullions etc;and complete with bronze handles ,peg stays and other ironmongery; factory primed with red oxide primer including cutting and pinning fixing lugs to concrete or masonry work jambs ; bedding in cement and sand (1:3) mortar , pointing all round frames in mastic ,easing ,oiling and adjusting opening lights on completion</i>				
B	Window size 3800 x 750mm high	No	42		
C	Window size 3800 x 750mm high; Triangular shape	No	51		
	<u>Aluminium louvre sets on Steel Casements</u>				
	<i>Purpose made mild steel framework with 10mm solid square bars welded at 100mm c/c vertically; factory primed with red oxide primer including cutting and pinning fixing lugs to concrete or masonry work jambs ; bedding in cement and sand (1:3) mortar , pointing all round frames in mastic ,easing ,oiling and adjusting opening lights on Completion</i>				
D	25 x 50mm RHS Window frame, mullions, transomes, and the like;	Lm	846		
	<i>Aluminium "Naco" Heavy duty louvre blade carriers with Fixtures</i>				
E	Pair : fixed louvre blade carrier 600mm long to carry five pieces	No	589		
	<u>Glazing</u>				
	<b>Carried to Collection</b>			KSHS	
	<i>Copyright Chief Quantity Surveyor</i>				

[illegible]



Item No		Unit	Quantity	Rate Kshs	Amount Kshs
	<b>BILL NO. 6</b>				
	<b>DOORS</b>				
	<u>Steel Casements</u>				
	<i>Fabricate, deliver and install the following purpose made steel casement doors (to Arch detail) to comply to B.S.990, obtained from an approved manufacturer, primed with red oxide primer before delivery to site complete with, hinges, handles, catches and to include 500mm high louvred top vent and 2500mm high openable leaf</i>				
A	Door overall size 1800 x 3000mm	No	17		
B	Door overall size 1000 x 3000mm	No	9		
	<u>Glazing</u>				
	<i>4mm Clear sheet glass and glazing</i>				
C	Glasses with approved metal putty; to steel casement windows	Sm	30		
	<u>Ironmongery</u>				
	<i>Supply and fix the following ironmongery with screws to match (Ref. is to Union Catalogue or other equal and approved)</i>				
D	4 -lever mortise lock as complete with lever furniture	No	26		
E	Rubber door stop fixed to concrete floor, or masonry walling with and including 38mm rawl bolt	No	37		
	<u>Painting and Decorating</u>				
	<i>Prepare and apply one undercoat and two finishing coats gloss paint on</i>				
F	General surfaces; steel casement doors	Sm	198		
	<b>Carried Forward to Summary of Section No. 2</b>			KSHS	
	<i>Copyright Chief Quantity Surveyor</i>				

Item No		Unit	Quantity	Rate Kshs	Amount Kshs
	<b>BILL NO. 7</b>				
	<b>FINISHES</b>				
	<u>FLOOR FINISHES</u>				
	<u>Insitu cement and sand (1:3) screeded beds, with steel trowelled finish , on concrete</u>				
A	15mm thick to receive terrazzo Flooring	Sm	1157		
	Ditto; in drain channels; 450-600mm girth	Sm			
	25mm Ditto finished smooth	SM	200		
B	Ditto to skirting	SM	1157		
	<u>Terrazzo (1:3), with approved coloured chippings, ground and polished smooth</u>				
C	25mm thick in Floors	Sm	67		
D	Ditto; in drain channels; 450-600mm girth	Lm	200		
E	25mm thick x 100mm high moulded skirting coved at junction to floors, with rounded top	Lm	686		
	<u>WALL FINISHES</u>				
	<u>Internal</u>				
F	15mm Wall Plaster to receive wall tiles (ms)	Sm	1680		
	Ditto above to receive paint	SM	3475		
	200x250mm Ceramic wall tiles as per SAJ Ceramics or Other Equal approved.		3475		
	Ceramic wall tiles fixed with matching grout	SM	1680		
	<u>Insitu cement and sand (1:3) screeded beds, with trowelled finish , on Walls</u>				
G	25mm thick to Walls	SM	680		

Carried to Collection

KSHS

Copyright Chief Quantity Surveyor



[illegible]





--	--	--	--	--	--	--	--

Item No		Unit	Quantity	Rate Kshs	Amount Kshs
	<b><u>SECTION NO. 10</u></b>				
	<b>BILL NO. 1</b>				
	<b>HIGH LEVEL WATER TANK BASE</b>				
	<b><u>EXCAVATIONS</u></b>				
	<i>Excavations including maintaining and supporting sides and keeping free from water, mud and fallen material</i>				
A	Excavate in site soils to foundation levels in n.e 1.50m	<b>Cm</b>	26		
B	Extra over excavations for excavating in rock	<b>Cm</b>	1		
	<i>Planking and strutting</i>				
C	Allow for maintaining and supporting sides of excavations and for keeping the same free from fallen materials		Item		
	<i>Keeping excavations free of water</i>				
D	Allow for keeping excavations free of all water and mud by pumping, bailing or any other necessary and approved means		Item		
	<b><u>FILLINGS / DISPOSAL</u></b>				
E	Return, fill and ram selected excavated material around foundations.	<b>Cm</b>	17		
F	Load, wheel and deposit surplus excavated material where directed by the P.M on site not exceeding 50meters away	<b>Cm</b>	9		
	<b><u>CONCRETEWORK</u></b>				
	<i>Mass concrete 1:4:8</i>				
G	50mm Thick blinding, to and including tamping bottoms of excavations;- under bases	<b>Sm</b>	9		
	<i>Mass concrete 1:3:6</i>				
H	Water Tank bases	<b>Cm</b>	9		
	<i>Sawn Formwork to:-</i>				
J	Vertical sides of water tank bases	<b>Sm</b>	12		
<b>Carried Forward to Summary of Section No. 13</b>				KSHS	
<i>County quantity surveyor-Mandera</i>					



## SECTION NO. 11 LAGOON (OXIDATION PONDS)

ITEM NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b>THE FOLLOWING IN PRIMARY AND SECONDARY PONDS TYPE 'B' DRG NO.(50)5360(All provisional) EARTHWORKS</b>				
A	Excavate pit from ground level not exceeding 1.50m deep.	3558	CM		
B	Ditto trench	13	CM		
C	Ditto exceeding 1.50m but not exceeding 3.00m deep.	1779	CM		
	Ditto trench	25	CM		
D	Cart away excavated materials from site	5337	CM		
E	Compact slanted ground to the satisfaction of the Project manager	1317	SM		
F	Ditto flat ground	994	SM		
G	<b>FILLING</b>				
H	Approved bed of murram 100mm thick on sloped ground well compacted to the satisfaction of the Project Manager .	1482	SM		
I	Ditto on flat ground	994	SM		
J	Approved bed of sand 100mm thick on sloped ground evenly spread to the satisfaction of the Project Manager	1482	SM		
K	Ditto on flat ground	994	SM		
L	Gauge 1000 polythene paper on bed of sand(MS) on sloped ground	1482	SM		
M	Ditto on flat ground	994	SM		
N					
	<b>Carried to collection</b>				

ITEM NO	DESCRIPTION	QTY	UNIT	RATE	SHS
	<b>CONCRETE WORKS</b> <b>NOTE:All concrete to be 1:2:4 mix class 20/20.All concrete and mortar must contain sulphate resisting cement</b>				
A	Apron at junction of pond bed and sloped surface	25	CM		
B	Haunching at junction of sloped surface and ground level	13	CM		
C	600mmx600mmx50mm thick precast concrete paving slabs laid on sloped bed of sand(MS) finished smooth and jointed in sulphate resisting mortar	1482	SM		
D	Sawn formwork to side of concrete apron	38	SM		
	<b>POND INLET</b>				
	<b>MANHOLES</b>				
E	Excavate pit and construct manhole type 'A' overall size 930MMX730mm as per details in drawing no.(50)5300 and return, fill and ram excavated materials and remainder cart away.	4	NO		
F	Excavate pit and construct screen chamber overall size1900mmx1000mm as per details in drawing no.(50)5361 and return, fill and ram excavated materials and remainder cart away	1	NO		
G	Ditto disconnection manhole overall size1180mmx1180mm as per details in drawing no. (50)5362.	1	NO		
H	Ditto drop manhole size1200mmx1000mm as per details in drawing no. (50)5365.	1	NO		
	<b>PIPE SUPPORTING PLLARS</b>				
I	Construct 1500mm average height pillar pipe supporting pillar size 600mmx600mm as per details in drawing no (50)5364.	3	NO		
	<b>Carried to collection</b>				



ITEM		QTY	UNIT	RATE	AMOUNT
A	<b>INTERPOND CONNECTION</b> Excavate pit and construct interpond connection outlet overall size 2100mmx1000mm as per details in drawing no.(50)5366 and return,fill and ram excavated materials and remainder cart away	2	NO		
B	Excavate pit and construct manhole type 'B' overall size 1180MMX930mm as per details in drawing no.(50)5301 and return, fill and ram excavated materials and remainder cart away.	1	NO		
C	Excavate pit and construct interpond connection inlet overall size 2300mmx1000mm as per details in drawing no.(50)5367 and return ,fill and ram excavated materials and remainder cart away	1	NO		
D	Excavate pit and construct outlet manhole type 'B' overall size 1180MMX930mm as per details in drawing no.(50)5301 but with 150mm sump and return, fill and ram excavated materials and remainder cart away.	1	NO		
E	Excavate pit and construct distribution manhole overall size 900MMX750mm as per details in drawing no.(50)5351 and return, fill and ram excavated materials and remainder cart away.	3	NO		
F	<b>WASTE WATER DRAINAGE</b> Excavate trench average 900mm deep for 160mm diameter pipe,return, fill and ram excavated materials and remainder cart away from site.	50	LM		
G	Ditto 1200mm deep.	50	LM		
H	Ditto 1500mm deep.	50	LM		
I	Provide, lay and joint 160mm diameter uPVC pipe class 41 on compacted murram bedding and haunching (ms) as per detailed drawing no.(50)5310	150	LM		
J	Provide, place and compact 150mm murram bed and haunch type E as per drawing no.(50)5310	150	LM		
k	<b>Provide 150mm cast iron pipe</b>	16	LM		
	<b>Carried to collection</b>				

ITEM NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b>EFFLUENT SOAKAGE</b>				
	<b>French drain as per drawing no.(50)5344</b>				
A	Excavate trench average 600mm deep and cart away excavated materials from site.	70	LM		
B	Ditto 900mm deep.	70	LM		
C	Ditto 1200mm deep.	70	LM		
D	Provide approved 150mm diameter agricultural pipe and lay in trench (ms) as per manufacturer's instructions.	210	LM		
	<b>Carried to collection</b>				
	<b>COLLECTION</b>				
	Total from LGN/01				
	Total from LGN/02				
	Total from LGN/03				
	Total from above				
	<b>SUB TOTAL</b>				
					<b>X</b>
					<b>2</b>
	<b>TOTAL FOR LAGOON CARRIED TO GRAND SUMMARY</b>				

# *ELECTRICAL WORKS*



**SCHEDULE NO.1 - SLAUGHTER HOUSE, PROCESSING AND THE WASHROOMS.**

Item	Description	Qty	Unit	Rate (Ksh)	Amount (Ksh)
	<b>Supply, install, test and commission the following :-</b>				
	<b><u>LIGHTING POINTS</u></b>				
1.01	Lighting points wired in 1.5 mm <sup>2</sup> SC CU cables drawn in concealed 20mm Ø HG P.V.C conduits for:-				
	a) one way switching	40	No.		
	b) two way switching	92	No.		
	<b><u>SWITCHES</u></b>				
1.02	10Amps, switch plate as CLIPSAL, BG NEXUS or approved equivalent as				
	a) one gang one way	7	No.		
	b) one gang two way	4	No.		
	c) two gang two way	1	No.		
	d) three gang two way	2	No.		
	e) intermediate	NIL			
1.03	10Amps, <b>watertight</b> switch plate as CLIPSAL, BG or approved equivalent as				
	a) one gang one way	5	No.		
	b) one gang two way	9	No.		
	c) two gang two way	1	No.		
	d) three gang two way	4	No.		
	e) intermediate	NIL			
	<b><u>LIGHTING FITTINGS</u></b>				
1.04	Lighting fittings complete with bulbs or tubes as follows:-				
	<b>a) 1500mm, 1 x 58 Watts batten fluorescent fitting as FITZGERALD, THORN or approved equivalent. (TYPE B1)</b>	7	No.		
	<b>b) ditto but twin (TYPE B2)</b>	1	No.		
	<b>c) 1500mm, 2 x 58Watts standard IP65 rated fluorescent fitting with corrosion resistant enclosure for T8 lamps with switchstart gear as THORN CORROSIONPROOF or approved equivalent (TYPE C2).</b>	12	No.		
	<b>SUB TOTAL C/F TO COLLECTION</b>	<b>PAGE No. H/13</b>			

**SCHEDULE NO.1 CONT'D. - SLAUGHTER HOUSE, PROCESSING AND THE WASHROOMS**

<b>Item</b>	<b>Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate (Ksh)</b>	<b>Amount (Ksh)</b>
	<b>Supply, install, test and commission the following :-</b>				
	<b>d) 1500mm, 1 x 58 Watts standard IP65 rated fluorescent fitting with GRP body and acrylic diffuser for thermally insulated lamp.As THORN COLDPROOF or approved equivalent (TYPE D1).</b>	4	No.		
	<b>e) ditto but twin (TYPE D2)</b>	8	No.		
	<b>f) 1200mm, 1x36 Watts batten fluorescent fitting as FITZGERALD, THORN or approved equivalent. (TYPE E1).</b>	NIL			
	<b>g) 1x 8Watts,Single sided EXIT emergency non maintained lighting luminaire as FITZGERALD,THORN or approved equivalent (TYPE EXIT).</b>	12	No.		
	<b>h) IP 65 rated High bay luminaire for 250 Watts MBF discharge lamp with polished and anodised aluminiumreflector , autobalanced for single point suspension as THORN CYBER 2or approved equivalent. (TYPE HI)</b>	31	No.		
	<b>i) 1500, 1x 58 Watts surface mounted fluorecsent luminaire with high output louvre, continous earth connection and switchstart gear as THORN LOUVRELUX 2 or approved equivalent. (TYPE R1)</b>	NIL			
	<b>j) ditto but twin (TYPE R2)</b>	2			
	<b>K) 100 Watts, spherical screw neck fitting as THORN or approved equivalent (TYPE S).</b>	18	No.		
	<b>k) IP 65 rated cast Aluminium bulkhead fitting for 100 Watts BC GLS lamp, with glass bowl retained by tamper resistant fixings as THORN OLG 1100 or approved equivalent. (TYPE 1)</b>	16	No.		
	<b>SUB TOTAL C/F TO COLLECTION</b>				
	<b>PAGE No. H/13</b>				

**SCHEDULE NO.1 CONT'D. - SLAUGHTER HOUSE, PROCESSING AND THE WASHROOMS**

Item	Description	Qty	Unit	Rate (Ksh)	Amount (Ksh)
	<b>Supply, install, test and commission the following :-</b>				
	<b>1)</b> Circular superclub CD fitting with polycarbonate body, white trim, opal diffuser & integral control gear for 28W 2D lamp. Or approved equivalent. <b>(TYPE 2)</b>	21	No.		
	<b><u>SOCKET OUTLETS AND OTHER POWER POINTS</u></b>				
1.05	13 Amps. Socket outlet points wired ring comprising of 3x2.5 mm sq. single core P.V.C.I copper cables drawn in concealed 25mm HG PVC conduits.	23	No.		
1.06	13 Amps. Moulded plate switched socket outlet with neon indicator as BG, CLIPSAL or approved equivalent being :-				
	a) single.	4	No.		
	b) twin.	2	No.		
1.07	13 Amps. <b>Watertight</b> Moulded plate switched socket outlet as GE electric or approved equivalent being :-				
	a) single.	12			
	b) twin.	5			
1.08	Air conditioner circuit comprising of 3x4.0mm <sup>2</sup> P.V.C.I Copper cables drawn in concealed 25 mm dia. HG PVC conduits from DB 'B' to coldroom.	10	LM		
1.09	Air conditioner circuit comprising of 3x4.0mm <sup>2</sup> P.V.C.I Copper cables drawn in concealed 25 mm dia. HG PVC conduits from DB 'B' to suspect coldroom.	20	LM		
1.10	Isolators for items 1.08 & 1.09 above as MEM:-				
	a) 30 Amps SPN.	2	No.		
	b) 20 Amps TPN.	NIL			
	<b>SUB TOTAL C/F TO COLLECTION</b>			<b>PAGE No. H/13</b>	

**SCHEDULE NO.1 CONT'D. - SLAUGHTER HOUSE, PROCESSING AND THE WASHROOMS**

<b>Item</b>	<b>Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate (Ksh)</b>	<b>Amount (Ksh)</b>
	<b>Supply, install, test and commission the following :-</b>				
1.11	16 Amps. Socket outlet points wired <b>radial</b> from DB ' B' comprising of 3x2.5 mm sq. single core PPCI copper cables drawn in concealed 20mm HG PVC conduits, for Sterilizers and Hoists. <i><b>(each with an average cable length of 3x35LM)</b></i>	26	No.		
1.12	16 Amps. 3 Pin <b>Watertight</b> Industrial Schuko socket outlets as GE or approved equivalent.	26	No.		
1.13	IP 65 rated, 20 Amps. SPN Isolators for items 1.11 & 1.12 above as KATKO or approved equivalent.	26	No.		
1.14	16 Amps. Socket outlet points wired <b>radial</b> from DB ' B' comprising of 5x2.5 mm sq. single core PPCI copper cables drawn in concealed 25mm HG PVC conduits, for Hoists. <i><b>(each with an average cable length of 5x35LM)</b></i>	2	No.		
1.15	16 Amps. 5 Pin <b>Watertight</b> Industrial Schuko socket outlets as GE or approved equivalent.	2	No.		
1.16	IP 65 rated, 20 Amps. TPN Isolators for items 1.14 & 1.15 above as KATKO or approved equivalent.	2	No.		
1.17	Power circuit comprising of 3x4.0mm <sup>2</sup> PPCI Copper cables drawn in concealed 25 mm dia. HG PVC conduits from DB 'B' to Stunning machine isolator.	35	LM		
	<b>SUB TOTAL C/F TO COLLECTION</b>		<b>PAGE</b>	<b>No. H/13</b>	



**SCHEDULE NO.1 CONT'D. - SLAUGHTER HOUSE, PROCESSING AND THE WASHROOMS**

Item	Description	Qty	Unit	Rate (Ksh)	Amount (Ksh)
	<b>Supply, install, test and commission the following :-</b>				
1.18	IP 65 rated, 20 Amps. SPN Isolator for Stunning machine as KATKO or approved equivalent.	1	No		
1.19	Water heater points comprising of 3x4.0mm <sup>2</sup> PVICI Copper cables drawn in concealed 25 mm dia. HG PVC conduits from DB 'B' to double pole switches.	4	No		
1.20	20 Amps double pole switches with neon indicator and marked water heater as CLIPSAL or approved equivalent for item 1.19 above.	4	No		
1.21	Hand drier points comprising of 3x2.5mm <sup>2</sup> PVICI Copper cables drawn in concealed 25 mm dia. HG PVC conduits from CU 'A' to double pole switch <b>(each with an average cable length of 3X10LM).</b>	2	No		
1.22	20 Amps, double pole switch with neon indicator as CLIPSAL or approved equivalent for item 1.21 above.	2	No		
	<b><u>DISTRIBUTION BOARDS AND CONSUMER UNITS.</u></b>				
1.23	10 ways TP&N, flush mounted distribution board complete with 100A integral isolator as HAGER or approved equivalent complete with all accessories but excluding MCBs being:-				
	a) 7 Ways	1	No.		
	a) 15 Ways	1	No.		
	<b>SUB TOTAL C/F TO COLLECTION</b>		<b>PAGE</b>	<b>No. H/13</b>	

**SCHEDULE NO.1 CONT'D. - SLAUGHTER HOUSE, PROCESSING AND THE WASHROOMS**

Item	Description	Qty	Unit	Rate (Ksh)	Amount (Ksh)
	<b>Supply, install, test and commission the following :-</b>				
1.24	MCBs for item 1.23 above as HAGER or approved equivalent as:-				
	a) 10A SP	12	No.		
	b) 15A SP	26	No.		
	c) 15A TP	2	No.		
	d) 20A SP	7	No.		
	e) 30A SP	3	No.		
	f) Blanking plates	12	No.		
1.25	9 way flush mounted consumer unit complete with 100A integral isolator as HAGER or approved equivalent complete with all accessories but excluding MCBs for washroom block.	1	No.		
1.26	MCBs for item 1.10 above as HAGER or approved equivalent as:-				
	a) 10A SP	3	No.		
	a) 20A SP	3	No.		
	b) 30A SP	NIL			
	c) Blanking plates	3	No.		
	<b><u>SUB-MAIN DISTRIBUTION CIRCUITS.</u></b>				
1.27	Circuit comprising of <b>5x16mm</b> sq. SC CU PVCI cables drawn in concealed 38 mm dia. HG PVC conduits from MV Switchboard to DB 'A'. in slaughter house block.	25	LM		
1.28	Circuit comprising of <b>4x35mm sq. + 1x 25</b> mm sq. SC CU PVCI cables drawn in concealed 38 mm dia. HG PVC conduits from MV Switchboard to DB 'B'. in slaughter house block.	25	LM		
	<b>SUB TOTAL C/F TO COLLECTION</b>				
	<b>PAGE No. H/13</b>				

**SCHEDULE NO.1 CONT'D. - SLAUGHTER HOUSE, PROCESSING AND THE WASHROOMS**

Item	Description	Qty	Unit	Rate (Ksh)	Amount (Ksh)
	<b>Supply, install, test and commission the following :-</b>				
1.29	Circuit comprising of 3x10mm sq. SC CU PPCI cables drawn in concealed 32 mm dia. HG PVC conduits from MV Switchboard to CLB on Slaughter house block for the washroom block.	25	LM		
1.30	ditto from CLB on washroom block to CU 'A' in washroom block.	5	LM		
1.31	16 SWG Standard Cable Loop-in box located at the washrooms and the slaughter house blocks.	3	No.		
1.32	The following for item 1.31 above complete with all fixing materials and any other necessary accessories:-				
	a) Cut outs as Lucy or approved equivalent	9	No.		
	b) Neutral connectors	3	No.		
	<b><u>EARTHING.</u></b>				
1.33	Earthing, items 1.32 above, comprising of the following :-				
	a) 12.5 mm x 1200 mm earth rod as FURSE cat. No. RB 105.	3	No.		
	b) 12.5 mm dia. Driving stud as FURSE cat.No. ST100.	3	No.		
	c) Rod to cable clamp as FURSE cat. No. CR510.	3	No.		
	d) Concrete inspection pit as FURSE cat. No.PT005. (or a well made 320mm x 320mmx 210 mm depth pit.)	3	No.		
	e) 16 mm sq. SC PPCI CU cables drawn in 20 mm dia.PVC conduit concealed in walls.	9	LM		
	<b>SUB TOTAL C/F TO COLLECTION</b>				
	<b>PAGE No. H/13</b>				

**SCHEDULE NO.1 CONT'D. - SLAUGHTER HOUSE, PROCESSING AND THE WASHROOMS**

Item	Description	Qty	Unit	Rate (Ksh)	Amount (Ksh)
	<b>Supply, install, test and commission the following :-</b>				
	<b><u>DATA / TELEPHONE AND T.V.</u></b>				
1.34	Telephone point comprising of 20 mm diameter concealed HG PVC conduits plus draw wire.	3	No.		
1.35	RJ45, Moulded plate telephone/data outlet as BG, CLIPSAL or approved equivalent being:-.				
	a) single	NIL			
	b) twin.	3	No.		
	<b><u>FIRE ALARM SYSTEM.</u></b>				
1.36	Fire alarm points wired in 3x2.5mm <sup>2</sup> <b>Heat resistant</b> SC PVC copper cables drawn in concealed 20mm diameter HG PVC conduits	35	No.		
1.37	240V ac fire alarm bell with 150mm gong as MENVIER or approved equivalent	1	No.		
1.38	Fire break glass Manual, <b>watertight</b> , call point unit as MENVIER or approved equivalent complete with a packet of 5 spare glasses, a packet of 5 spare test keys, a spare back box and a hinged cover.	12	No.		
1.39	Photoelectric smoke detectors as MENVIER or approved equivalent	22	No.		
1.40	4 Zone, Fire alarm control panel complete with Battery and charger as MENVIER or approved equivalent	1	No.		
1.41	13 Amps. Socket outlet point wired <b>radial</b> comprising of 3x2.5 mm sq. Heat resistant single core PVC copper cables drawn in concealed 20mm HG PVC conduits for itme <b>1.40</b> above.	1	No.		
	<b>SUB TOTAL C/F TO COLLECTION</b>	<b>PAGE No. H/13</b>			

**SCHEDULE NO.1 CONT'D. - SLAUGHTER HOUSE, PROCESSING AND THE WASHROOMS**

<b>Item</b>	<b>Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate (Ksh)</b>	<b>Amount (Ksh)</b>
	<b>Supply, install, test and commission the following ; -</b>				
1.42	13 Amps. Unswitched Moulded plate , fused connection unit and with neon indicator as BG cat No. 856. or approved equivalent.	1	No.		
	<b><u>FIREMAN'S SWITCH</u></b>				
1.43	Firemans switch circuit comprising of 3x2.5 mm <sup>2</sup> <b>Heat resistant</b> single core PVCI copper cables drawn in concealed 20mm HG PVC conduits from the MV Switchboard to the switch complete with all fixing materials necessary to the Incomer.	20	LM		
1.44	Firemans switch as MENVIER or approved equivalent.	1	No.		
1.45	Allow for solar street lightin		ITEM		
	<b><u>ENERGENCY SHUT DOWN SWITCH</u></b>				
1.46	Emergency shut down switches to approval	2	No.		

**SUB TOTAL C/F TO COLLECTION PAGE No. H/13**

**STREET LIGHTING.**

Item	Description	Qty	Unit	Rate (Ksh)	Amount (Ksh)
	<b>Supply, install, test and commission the following :-</b>				
4.12	Side entry, Street lighting lantern as THORN cat. No. QB 79 WB 1125.4 with 125 Watts MBF lamp complete with integral control gear and all other necessary accessories.	27	No.		
4.13	Ditto but post top entry as THORN cat. No. QG 6 V/WB 1125.4 with 125 Watts MBF lamp complete with integral control gear and all other necessary accessories.	25	No.		
4.14	1000 mm long Galvanized steel flange/arm for wall mounting to mount side entry street lighting lantern.	2	No.		
4.15	Earthing, for items 4.10 & 4.11 above, after every other pole, comprising of the following and any other necessary accessories:-				
	<b>a)</b> 12.5 mm x 1200 mm earth rod as FURSE cat. No. RB 105.	20	No.		
	<b>b)</b> 12.5 mm dia. Driving stud as FURSE cat.No. ST100.	20	No.		
	<b>c)</b> Rod to cable clamp as FURSE cat. No. CR510.	20	No.		
	<b>d)</b> Concrete inspection pit as FURSE cat. No.PT005. (or a well-made 320mm x 320mmx 210 mm depth pit.)	20	No.		
	<b>e)</b> 6 mm sq. SC PVC CU cables drawn in 20 mm dia.PVC conduit concealed in walls.	60	LM		
	<b>SUB TOTAL C/F TO COLLECTION</b>				
	<b>PAGE No. H/13</b>				

**STREET LIGHTING.**

Item	Description	Qty	Unit	Rate (Ksh)	Amount (Ksh)
	<b>Supply, install, test and commission the following :-</b>				
4.16	2.5mm <sup>2</sup> Sheathed Twin with earth copper cables to be installed in the street lighting poles	230	LM		
4.17	PVC/SWA/PVC copper cables complete with appropriate cable glands and lugs.				
	<b>a) 2 core 6mm<sup>2</sup> for street lighting</b>	1400	LM		
4.18	The following for item 4.17 above:-				
	a) trenching to a depth of not less than 600mm & cable laying.	1530	LM		
	b) HATARI tiling , soil sifting and backfilling.	1530	LM		
	c) cable route markers with the inscriptions "DANGER, 415/240V"	20	No.		
4.19	100 mm diameter HG PVC ducts with 100 mm thick concrete surround	100	LM		
4.20	600mm x 600mm x 450mm deep concrete manhole with water tight cover to approval	2	No.		
	<b>SUB TOTAL C/F TO COLLECTION</b>				
	<b>PAGE No. H/13</b>				

**COLLECTION PAGE FOR SLAUGHTER HOUSE, Street Lighting.**

<b>ITEM</b>	<b>DESCRIPTION</b>	<b>AMOUNT(KSHS)</b>
1.00	Total brought forward from page No. H/2	
2.00	Total brought forward from page No.H/3	
3.00	Total brought forward from page No.H/4	
4.00	Total brought forward from page No. H/5	
5.00	Total brought forward from page No. H/6	
6.00	Total brought forward from page No. H/7	
7.00	Total brought forward from page No. H/8	
8.00	Total brought forward from page No. H/9	
9.00	Total brought forward from page No. H/10	
10.00	Total brought forward from page No. H/11	
11.00	Total brought forward from page No. H/12	
	<b>TOTAL CARRIED TO SUMMARY</b>	
<b>H/13</b>		





## **SECTION 14: 100,000 LTRS UNDERGROUND TANK**

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>ELEMENT NO. 1</u></b>				
	<b><u>SUBSTRUCTURES</u></b> <b><u>(ALL PROVISIONAL)</u></b>				
A	Clear site of all grass and small trees not exceeding 600mm girth and cart away or burn arisings.	76	SM		
B	Excavate pit (with a diameter not exceeding 7.0m) not exceeding 1.5m deep.	67	CM		
C	Ditto depth not limited to 1.5m but not exceeding 2.5m deep.	48	CM		
D	Ditto depth not limited to 2.5m but not exceeding 3.5m deep.	40	CM		
E	Allow for excavation over all kinds of excavation for excavating in rock irrespective of class.		ITEM		
F	Allow for keeping excavations free from all water by pumping or otherwise.		ITEM		
G	Ditto for planking and strutting to sides of excavations.		ITEM		
H	<b><u>Disposal</u></b> Return, fill and ram selected excavated material around foundations.	53	CM		
I	Load, wheel and cart away from site surplus excavated material and deposit in approved dumping area.	51	CM		
J	<b><u>Imported filling</u></b> 300mm thick (average) approved broken quarry stone hardcore filling in two equal layers well compacted.	25	SM		
K	50mm thick stone dust blinding to surfaces of hardcore.	25	SM		
	<b>Total to collection page WT/3</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
A	<b><u>50mm thick plain concrete(1:4:8 class 15/20mm)blinding to:</u></b> Foundation base	25	SM		
B	<b><u>Sawn formwork to:</u></b> Edges of ground floor bed exceeding 150mm but not exceeding 300mm girth.	17	LM		
C	<b><u>Anti-termite treatment</u></b> 'Dragnet' or other equal and approved anti termite insecticide treatment to blinded hardcore surfaces applied in accordance with manufacturer's instructions.	25	SM		
D	<b><u>Damp proof membrane</u></b> 1000 gauge polythene sheering laid under concrete floor bed.	25	SM		
E	<b><u>REINFORCEMENT (All Provisional)</u></b> <b><u>High tensile square twisted bars BS 4461 as described in:</u></b> 8mm diameter bars	300	KG		
F	10mm ditto	635	KG		
G	12mm ditto	564	KG		
H	16mm ditto <b><u>Vibrated reinforced concrete class 25 in</u></b> 300mm thick raft foundation slab	40	KG		
I	150mm thick suspended slab with one opening size 600x600mm and 450mm deep cross / ring beams.	25	SM		
J	250mm thick closing lid	25	SM		
K	50mm thick mastic asphalt waterproofing or equivalent to structural engineer's specifications.	1	SM		
L	<b><u>Sawn formwork to:</u></b> Soffits of suspended slab	38	SM		
M	Edges of suspended slab exceeding 75mm but not exceeding 150mm girth.	38	SM		
N		17	LM		
	<b>Carried to collection page WT/3</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
A	<b><u>Cont. Sawn formwork to:</u></b> Soffits of lid	1	SM		
B	Vertical sides of closing lid.	3	LM		
C	<b><u>WALLING</u></b> <b><u>CONCRETE WORK</u></b> <b><u>INSITU CONCRETE REINFORCED.</u></b> <u>Normal: class 25/(20mm): vibrated</u> Walls 300mm thick <b><u>Floor Finishes</u></b> 32mm thick cement and sand (1:4) bedding screed steel floated.	124	SM		
D	<b><u>Wall Finishes</u></b> 12mm thick cement and sand plaster 1:4 steel trowelled.	25	SM		
E	<b><u>Finishes</u></b> 12mm thick cement and sand (1:4) plaster steel trowelled to soffits of suspended slab and cross/ring beams.	54	SM		
F	32mm thick cement and sand (1:4) screed to top of suspended slab.	28	SM		
G	<b>Total carried to collection below</b>	25	SM		
	<b><u>COLLECTION</u></b>  Total carried forward from page WT/1  Total carried forward from page WT/2  Total carried down from above				
	<b>TOTAL FOR 100,000 LTRS UNDERGROUND WATER TANK CARRIED TO GRAND SUMMARY</b>				

## **SECTION 15.50,000 LTRS HIGH LEVEL WATER TANK**

<b>Item</b>	<b>Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate Kshs</b>	<b>Cost Kshs</b>
	<b>HIGH LEVEL WATER TANKS</b>				
	Supply, Delivery and installation of water tanks and Booster pumps				
	<b>HIGH LEVEL WATER TANK</b>				
A	Supply, deliver and Assemble a High level water tanks, made of pressed steel sectional tank plates 6mm thick plates (type 1 and 4) and of size 1000mm x 1000mm capacity of tank to be 50,000 litres (11,000 gallons) and of preferred dimensions 3500mm x 3500mm x 4000mm. The tank to come complete with tank cover, mosquito proof inspection vent, internal stays, jointing material, bolts and nuts including applying two coats of non-toxic bituminous paint on the inside and two coats of aluminum paint on the outside.	1	No		
B	Level regulator	1	No		
C	Water level indicator	1	No		
D	Internal ladder	1	No		
E	External ladder for tank platform	1	No		
F	Galvanized tower ladder and protection cage of approximately 12 metres high	1	No		
G	Galvanized platform with features described in the particular specifications.	1	No		
H	Galvanized steel tower 12 metres high with features as described in the particular specifications.	1	No		
I	100 x 8mm thick steel plate	12	Lm		
	<b>BOOSTER PUMPS</b>				
J	Set of automatic electrically driven twin booster pump. One duty and the other one standby with automatic changeover , capable of delivering 10m <sup>3</sup> per hour against a head of 25 meters with a single phase power source. The pump shall be complete with 100 litres pressure vessel, and all accessories required for proper and satisfactory operation. It includes pressure switches, time delay switch, a switch to protect against dry run, timer, gate valves and non-return valves. The pump to be as Grundfos model CH 12 – 30. or approved equivalent. Pump to be installed on mild steel platform.	1	Set		
	<b>Total carried to collection page</b>				

Item	Description	Qty	Unit	Rate Kshs	Cost Kshs
	<b>CONTROLS</b>				
A	Control panel for above pumps with contactors, over voltage and under voltage protection relays, MCBs, timer, start/stop push buttons and indicator lights. All these shall be housed in a lockable cabinet (with integral isolator) made from SWG 18 mild steel sheet that is oven powder coated . There shall also be an adjustable time delay switch to ensure pumping cycles are controlled to not more than 6 per hour. Each pump should run for twelve hours per day.	1	Item		
	<b>ELECTRICAL WORKS</b>				
B	Allow for electrical works wiring and fitting to pumps, control panel and float switches from Isolator provided by others	1	Item		
	<b>PIPEWORK</b>				
	Supply, deliver and install galvanized mild steel pipes to BS 1387 class 'B' with screwed and socketed joints to BS 134 and 1256 and of approved manufacturer with galvanizing to BS 729. Contractors must allow in their pipe work prices for all the couplings, unions, connectors joints, holder bats, reducers etc. as required in the running length of the pipework and also where necessary for pipe fixing clips, plugged and screwed.				
C	100mm diameter GMS pipe	42	Lm		
D	80mm diameter GMS pipe	36	Lm		
E	25mm diameter – Ditto -	12	Lm		
	<b>VALVES</b>				
F	100mm diameter approved rising stem full way high pressure flanged gate valve with wheel and jointing to tubing	2	No		
G	80mm – ditto –	4	No		
H	80mm ball valve	1	No		
	<b>NON-RETURN VALVES</b>				
I	100mm diameter flanged non-return valve	1	No		
J	80mm ditto	2	No		
	<b>Total carried to collection page</b>				

Item	Description	Qty	Unit	Rate Kshs	Cost Kshs
	<b>BENDS/ELBOWS</b>				
A	100mm diameter Bend/Elbows	5	No		
B	80mm diameter Bend/Elbows	6	No		
	<b>TEES</b>				
C	100 x 80mm diameter tee	2	No		
	<b>STERILIZATION</b>				
D	Allow for sterilization including flushing out water and chlorine to the satisfaction of the Engineer	1	Item		
	<b>TESTING AND COMMISSIONING</b>				
E	Allow for setting to work, testing and commissioning of the whole system to the satisfaction of the Engineer.	1	Item		
<b>Total carried to collection page</b>					

COLLECTION PAGE

[illegible]



**BILLS OF QUANTITIES FOR THE PROPOSED 2NO. Twin toilet**

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS.
	<b><u>2No-DOOR PIT LATRAINE BLOCK</u></b>				
A.	Excavate pit not exceeding 1.5m deep	8	CM		
B.	Ditto 1.5 – 3.0m deep	5	CM		
C.	Ditto 3.0-4.5m deep	5	CM		
D.	Ditto 4.5 -6.0m deep	5	CM		
E.	Ditto 6.0-9.0m deep	10	CM		
F.	Spread on site excavated materials	33	CM		
G.	1:2:4 concrete in strip foundation	1	CM		
H.	150mm foundation walling	23	SM		
I.	100mm thick 1:2:4 concrete suspended lab	10	SM		
J.	12m square twisted reinforced bar	113	KGS		
K.	Sawn form work to soffit of concrete slab	18	SM		
L.	Ditto to edges 75 -150mm high	18	LM		
M.	Form 250 x 100mm diameter hole	3	NO		
N.	Ditto 100mm	1	NO		
O.	150mm stone walling in gauged mortar	65	SM		
P.	1:2:4 concrete in lintel	1	CM		
Q.	12mm reinforcement bars	20	KGS		
R.	8mm ditto	10	KGS		
S.	Sawn formwork to sides and soffits of lintel	5	SM		
	<b>CARRIED TO COLLECTION</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS.
A.	100 x 50mm sawn cypress wall plate fixed with hoop iron straps	12	LM		
B.	100 x 50mm ditto rafters	16	LM		
C.	75 x 50mm purlins	24	LM		
D.	G.C.I gauge 30 roofing sheets	18	SM		
E.	200 x 50mm fascia board	18	LM		
F.	100 x 50 wrot door frame rebated	18	LM		
G.	45mm framed, ledged, braced &battened door 900 x 2050mm	3	NO		
H.	100mm pressed steel butt hinges	4 <sup>1/2</sup>	PRS		
I.	250mm long chromium plated pad bolt	3	NO		
J.	150mm long barrel bolt	3	NO		
K.	20mm cement and sand plaster to walling (Internal)	33	SM		
L.	20mm cement and sand rendering to walling(External)	21	SM		
M.	25mm cement/sand floor screed	5	SM		
N.	100mm diameter upvc vent pipe 3000mm long	1	NO		
O.	100mm pvc vent cowl.	1	NO		
P.	Paving slabs on compacted murram	12	SM		
	<b>CARRIED TO COLLECTION</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS.	cts
A.	250 x 100 x 100mm thick cement and sand footrest	6	NO			
B.	Prepare and apply three coats gloss paint on plastered walling internally	56	SM			
C.	Prepare and apply 2 coats emulsion paint on rendered walling externally	36	SM			
D.	Knot, prime and apply one undercoat and two-coat gloss paint on timber	13	SM			
E.	Ditto door frame 100-200mm girth	17	LM			
F.	Ditto fascia board 200-300mm girth	17	LM			
	Total Carried to collection					
	<b><u>Collection</u></b>					
	From page PL/01					
	From page PL/02					
	From page PL/03					
	<b>TOTAL FOR 2NO. -DOOR LATRINE BLOCK</b>					<b>X 2</b>
	<b>TOTAL OF NO. 2 No-DOOR TOILET BLOCK CARRIED TO GRAND SUMMARY</b>					

**BILLS OF QUANTITIES FOR THE PROPOSED 2NO. twin BATHROOMS**

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS.
	<b><u>3-DOOR BATHROOM BLOCK</u></b>				
A.	Excavate pit not exceeding 1.5m deep in strip foundations	13	CM		
B.	Return, fill and ram selected materials	6	CM		
C.	Spread on site excavated materials not exceeding 100m away.	7	CM		
D.	1:2:4 concrete in strip foundation	1	CM		
E.	150mm foundation walling	23	SM		
F.	100mm thick 1:2:4 concrete floor slab	18	SM		
G.	12m twisted reinforcement bars	41	KGS		
H.	BRC Mesh A65 reinforcement.	18	SM		
I.	Ditto to edges 75 -150mm high	18	LM		
J.	150mm stone walling in gauged mortar	65	SM		
K.	1:2:4 concrete in lintel	1	CM		
L.	12mm reinforcement bars	20	KGS		
M.	8mm ditto	10	KGS		
N.	Sawn formwork to sides and soffits of lintel	5	SM		
	<b>CARRIED TO COLLECTION</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS.
A.	100 x 50mm sawn cypress wall plate fixed with hoop iron straps	12	LM		
B.	100 x 50mm ditto rafters	16	LM		
C.	75 x 50mm purlins	24	LM		
D.	G.C.I gauge 30 roofing sheets	18	SM		
E.	200 x 50mm fascia board	18	LM		
F.	100 x 50 wrot door frame rebated	18	LM		
G.	45mm framed, ledged, braced &battened door 900 x 2050mm	3	NO		
H.	100mm pressed steel butt hinges	4 <sup>1/2</sup>	PRS		
I.	250mm long chromium plated pad bolt	3	NO		
J.	150mm long barrel bolt	3	NO		
K.	20mm cement and sand plaster to walling (Internal)	33	SM		
L.	20mm cement and sand rendering to walling(External)	21	SM		
M.	25mm cement/sand floor screed	5	SM		
N.	100mm diameter upvc vent pipe 3000mm long	NIL	NO		
O.	100mm pvc vent cowl.	NIL	NO		
P.	Paving slabs on compacted murram	12	SM		
	<b>CARRIED TO COLLECTION</b>				





JOINERY FITTINGS

The contractor is advised to examine drawings first before inserting rates for this work in order to ascertain for himself the nature of the works and no claim for lack of knowledge in this respect shall be entertained

The following meat rails as specified by mechanical engineer in sizes;

A

In main slaughter house and camel killing slab

140

No

-

SUB TOTAL CARRIED TO GRAND SUMMARY



## STOMACH AREAS

Item No.	Description	Unit	Quantity	Rate (Kshs)	Amount (Kshs)
	<b><u>Excavations</u></b>				
1.1	<b><u>Excavations to reduce levels</u></b>				
1.1.1	Oversite Excavation to reduce levels 150mm Thick; Clear the site of all bushes, shrubs, undergrowth and small trees grab uproot and cart away burn all arising.	m³	132		
1.2	<b><u>Excavations for Foundations</u></b>				
1.2.1	Ditto for column pit; not exceeding 1.50m deep from reduced level	m³	22		
1.2.3	Excavate for foundations not exceeding 1.5 metres deep commencing from reduced levels	m³	45		
	<b><u>Excavation in rock</u></b>				
1.2.3	Extra over excavation for excavating in hard rock (class 1)	m³	13		
1.2.4	Extra over excavation for excavating in soft rock (class 2)	m³	7		
1.3	<b><u>Disposal of excavated material : (provisional)</u></b>				
1.3.1	Backfill selected excavated material fill around foundations or to make up levels : compact in layers not exceeding 150mm thick	m³	8		
1.3.2	Remove surplus excavated materials from site	m³	67		
1.4	<b><u>Disposal of water</u></b>				
1.4.1	Allow for keeping the whole excavation free from all water by bailing, pumping or otherwise	Item			
1.5	<b><u>Planking and strutting</u></b>				
1.5.1	Planking, strutting and shoring to sides of all excavations : keep excavations free from all fallen materials	Item			
1.6	<b><u>Hardcore filling</u></b>				
1.6.1	300mm Thick approved hardcore filling; well watered and compacted in layers not exceeding 150mm thick all to Engineer's directions and approval	m²	120		
<b>Carried forward to Collection page</b>		<b>Kshs.</b>			

Item No.	Description	Unit	Quantity	Rate (Kshs)	Amount (Kshs)
1.6.2	50 mm Thick approved stone dust blinding on surfaces of hardcore to receive concrete (m.s)	m <sup>2</sup>	120		
1.7	<b><u>Damp Proof Membrane</u></b>				
1.7.1	Single layer of 1000 gauge polythene sheeting laid on blinded hardcore with 300 mm side and end laps to receive concrete (m.s)	m <sup>2</sup>	120		
1.8	<b><u>Anti-termite Treatment</u></b>				
1.8.1	Insecticide treatment on blinded surfaces with "Bayer Premise 200SC" with a ten year guarantee or other equal and approved at the rate of fipromil (250gm/ litre) after dilution with water (1:100) at the rate of 5litres per square metre all in accordance with Manufacturer's Specifications	m <sup>2</sup>	120		
1.9	<b><u>Insitu concrete : mix 1:4:8 (40mm aggregate)</u></b>				
1.9.1	50mm thick blinding under column bases	m <sup>2</sup>	25		
1.9.2	50mm thick blinding under strip footing	m <sup>2</sup>	83		
1.10	<b><u>Vibrated reinforced concrete class 20/(20mm) in:-</u></b>				
1.10.1	Column bases	m <sup>3</sup>	4		
1.10.2	Subcolumns	m <sup>3</sup>	1		
1.10.3	Strip footing	m <sup>3</sup>	9		
1.10.4	200mm thick ground floor slab	m <sup>2</sup>	120		
1.11	<b><u>Reinforcement</u></b>				
	<u>Supply and fix steel bar reinforcement including bending, hooking, tying wire, cutting, spacers, stools and supporting all in position</u>				
	<u>High tension ribbed steel bars reinforcement to BS 4449; Grade 460B high strength type 2 Ribbed bars with proof stress of 460 N/mm<sup>2</sup>; in structural concrete work (Provisional)</u>				
1.11.1	T8 bars	Kg	23		
1.11.2	T10 bars	Kg	67		
1.11.3	T12 bars	Kg	78		
<b>Carried forward to Collection page</b>		<b>Kshs.</b>			

Item No.	Description	Unit	Quantity	Rate (Kshs)	Amount (Kshs)
1.12	<b><u>Wrot formwork to:</u></b>				
1.12.1	Sides of column bases	m <sup>2</sup>	15		
1.12.2	Vertical side of sub columns	m <sup>2</sup>	12		
1.12.9	Sides of strip footing	m <sup>2</sup>	30		
	<b><u>Wrot formwork with fair face finish to:</u></b>				
1.12.7	Edges of the Ground floor slab 150-225mm high	m	46		
1.14	<b><u>Walling</u></b>				
	<u>Approved Machine cut natural stone walling or other equal and approved ; stones minimum crushing strength 4.0N/mm<sup>2</sup> ; bedded and jointed in (1:3) cement and sand mortar and reinforced with 25mm wide x 20 gauge hoop iron every alternate course</u>				
1.14.1	200mm thick walling	m <sup>2</sup>	60		
1.15	<b><u>Plinth Treatment</u></b>				
1.15.1	12mm thick cement/sand (1:4) render to plinth	m <sup>2</sup>	45		
1.15.2	Prepare and apply three coats black Bituminous paint on rendered plinth	m <sup>2</sup>	45		
<b>Carried forward to Collection page</b>				<b>Kshs.</b>	

**Collection Page**

Total brought forward from page BS/1

Total brought forward from page BS/2

Total brought forward from page BS/3

Total brought forward from page BS/4

TOTAL AMOUNT OF ELEMENT NO.1

SUBSTRUCTURES

<b>Carried to summary of BILL No. II</b>	<b>Kshs</b>
--	-------------

Item No.	Description	Unit	Quantity	Rate (Kshs)	Amount (Kshs)
<b><u>ELEMENT NO. 7</u></b>					
<b><u>FINISHES</u></b>					
7.1	<b><u>Floor finishes</u></b>				
	<u>Cement and sand (1:3) screed as described in:-</u>				
7.1.1	32mm thick backing to receive ceramic tiles (m/s)	m <sup>2</sup>	146		
	<u>Ceramic floor tiles</u>				
7.1.2	Floors in approved pattern to Architect's details	m <sup>2</sup>	146		
7.1.3	100mm skirting	m	75		
7.2	<b><u>External Wall Finishes</u></b>				
	<u>15mm Thick cement and sand (1:4) render as described to:-</u>				
7.2.1	Sides of masonry walls surfaces	m <sup>2</sup>	375		
7.2.2	Sides of concrete columns surfaces	m <sup>2</sup>	75		
7.2.3	Sides of concrete beam surfaces	m <sup>2</sup>	37		
	<u>Painting</u>				
	<u>Allow for skimming and sanding, Prepare and apply one undercoat and two finishing coats of matt finished paint as "Crown Paints" or other equal and approved paint to:</u>				
7.2.4	Renderd surfaces of walls	m <sup>2</sup>	375		
7.2.5	Sides of concrete columns surfaces	m <sup>2</sup>	75		
7.2.6	Sides of concrete beam surfaces	m <sup>2</sup>	37		
7.3	<b><u>Internal Wall Finishes</u></b>				
	<u>12mm Gauged lime plaster (1:2:9) : steel trowelled finish : on concrete or blockwork : to</u>				
7.3.1	Sides of walls	m <sup>2</sup>	416		
<b>TOTAL</b>					
<b>Carried forward to Collection page</b>		<b>Kshs.</b>			



a  
Item

Mandera County

No.	Description	Unit	Quantity	Rate (Kshs)	Amount (Kshs)
-----	-------------	------	----------	-------------	---------------

**MAIN WORKS SUMMARY**

**ELEMENT**

**PAGE  
No.**

1	SUBSTRUCTURES	B/04
2	FINISHES	B/06 B/13

**TOTAL AMOUNT FOR**

**BILL No. II :**

**CARRIED TO GRAND SUMMARY**

**Kshs.**

B

B/7

--

<i>Item No</i>		<i>Unit</i>	<i>Quantity</i>	<i>Rate Kshs</i>	<i>Amount Kshs</i>
	<p><b><u>SECTION NO. 16</u></b></p> <p><b><u>PROVISIONAL SUMS</u></b></p> <p>The contractor shall include in his tender the following to be deducted in whole or in part as directed by the Project Manager</p> <p><u>CONTINGENCY</u></p> <p>A Allow a Provisional Sum of Kenya Shillings Five Million, (KShs 1,000,000) only for <b>Contingencies</b></p> <p><u>PLUMBING , DRAINAGE,</u></p> <p>B Allow a provisional Sum of Kenya Shillings one Million</p> <p>(<b>1,000,000</b>) Only for Sanitary Fittings Plumbing, Drainage &amp; Water Reticulation</p> <p>C Allow a Provisional Sum of Kenya Shillings four Million, (KShs4,000,000) only for <b>project management expenses</b></p> <p>Add .....% for profit and overhead</p> <p style="text-align: right;"><b>Carried to Grand Summary</b></p> <p>County quantity surveyor-Mandera</p>			S	
				KSHS	

## GRAND SUMMARY

<i>Section</i>	<i>Page</i>	<i>Amount</i>
<i>No</i>	<i>No</i>	<i>Kshs</i>
1 PRELIMINARIES	-GP/13-	
2 SLAUGHTERHOUSE AND MEAT PROCESSING BLOCK	-AB/21-	
3 WATER TANK BASES	-AB/162-	
4 LAGOON	LG/04	
5 ELECTRICAL WORKS	-H/30	
6 UNDERGROUND WATER TANK	WT/3-	
7 HIGH LEVEL TANK	-HL/4-	
8 TOILETS AND BATHROOMS	<b>BB/04</b>	
9 JOINERY FITTINGS	<b>JF/01</b>	
10 STOMACH AREA	B/7	
11 PROVISIONAL SUMS	-PS/1-	
 SUB - TOTAL		KSHS
 <b>ADD 16% V.A.T</b>		KSHS

### TOTAL CARRIED TO FORM OF TENDER

AMOUNT IN WORDS

.....  
 .....

TENDERER'S SIGNATURE AND STAMP

Address: .....

Signature: ..... Date: .....

Witness: .....

Address: .....

Signature: ..... Date: .....

**GS/01**